

Mast: Position bands, Weight, COG, Boom length and position bands, Centerboard and band, Rudder dimensions and position on Stamp controlled on Talamone World 2015.

SNIFE CLASS RACING ASSOCIATION


10.1

MEASUREMENT DATA SHEET Sheet I- revised January 2009 For boats built after January 1, 2009

HULL NUMBER	28216	BUILDE	Persson
MODEL	--	YEAR	1991
OWNE	JORN HAGA	COUNTRY	ESP
BARE HULL	<input type="checkbox"/>	COMPLET	<input checked="" type="checkbox"/>
HUL MATERIAL : WOO	<input type="checkbox"/>	FIBERGLASS	<input checked="" type="checkbox"/>
DECK MATERIAL : WOO	<input type="checkbox"/>	FIBERGLASS	<input checked="" type="checkbox"/>
		From Certified mould	<input type="checkbox"/>
		INCOMPLET	<input type="checkbox"/>
		<i>make note of incomplete items</i>	
HULL WEIGHT (MIN 125KG)	<input checked="" type="checkbox"/>	MAST LENGTH (6499M)	<input checked="" type="checkbox"/>
TOTAL WEIGHT (172.8KG)	<input type="checkbox"/>	Limiting bands p	<input checked="" type="checkbox"/>
BALLAST (MAX 15KG mark below)	<input checked="" type="checkbox"/>	BOOM LENGTH (2642MM from aft edge of mast)	<input checked="" type="checkbox"/>
MOI	<input checked="" type="checkbox"/>	Limiting band	<input checked="" type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0)	<input checked="" type="checkbox"/>	POLE LENGTH (2642M)	<input checked="" type="checkbox"/>
SHROUDS (1778-1981mm dist. from)	<input checked="" type="checkbox"/>	RUDDER DIMENSIO	<input checked="" type="checkbox"/>
UPPER GUDGEON (410+/-3)	<input checked="" type="checkbox"/>	RUDDER WEIGHT (2.72)	<input checked="" type="checkbox"/>
LOWER GUDGEON (155 +/-3)	<input checked="" type="checkbox"/>	Fits the Transom (Y/	<input checked="" type="checkbox"/>
MAST HOLE (1494mm dist. from pt. 0)	<input checked="" type="checkbox"/>	CENTERBOARD DIMENSIO	<input checked="" type="checkbox"/>
TRUNK HEIGHT (310 -0+3MM)	<input checked="" type="checkbox"/>	Band	<input checked="" type="checkbox"/>
		Restraining System stoppers	<input checked="" type="checkbox"/>

Mark ballast here

Mark ballast here



DATE MEASURED..... 17/07/2014
 MEASURER'S SIGNATURE
 MEASURER'S STAMP..... José Pérez Morales

01 SCIRA
MEASURER
SPAIN

NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.



Antonio Espada
Chief Measurer

(Handwritten signature)


Mast: Position bands, Weight, COG, Boom length and position bands, Centerboard and band, Rudder dimensions and position on Stamp controlled on Talamone World 2015.

SNIPE CLASS RACING ASSOCIATION

10.1

MEASUREMENT DATA SHEET Sheet I- revised January 2009 For boats built after January 1, 2009

HULL NUMBER	28216	BUILDE	Persson
MODEL	--	YEAR	1991
OWNE	JORN HAGA	COUNTRY	ESP
BARE HULL	<input type="checkbox"/>	COMPLET	<input checked="" type="checkbox"/>
HUL MATERIAL : WOO	<input type="checkbox"/>	FIBERGLASS	<input checked="" type="checkbox"/>
DECK MATERIAL : WOO	<input type="checkbox"/>	FIBERGLASS	<input checked="" type="checkbox"/>
		From Certified mould	<input type="checkbox"/>
		INCOMPLET	<input type="checkbox"/>
		<i>make note of incomplete items</i>	
HULL WEIGHT (MIN 125KG)	<input type="checkbox"/>	MAST LENGTH (6499M)	<input checked="" type="checkbox"/>
TOTAL WEIGHT (172.8KG)	<input checked="" type="checkbox"/>	Limiting bands p	<input checked="" type="checkbox"/>
BALLAST (MAX 15KG mark below)	<input checked="" type="checkbox"/>	BOOM LENGTH (2642MM from aft edge of mast)	<input checked="" type="checkbox"/>
MOI	<input checked="" type="checkbox"/>	Limiting ban	<input checked="" type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0)	<input checked="" type="checkbox"/>	POLE LENGTH (2642M)	<input checked="" type="checkbox"/>
SHROUDS (1778-1981mm dist. from	<input type="checkbox"/>	RUDDER DIMENSIO	<input checked="" type="checkbox"/>
UPPER GUDGEON (410+/-3	<input type="checkbox"/>	RUDDER WEIGHT (2.72	<input checked="" type="checkbox"/>
LOWER GUDGEON (155 +/-3	<input type="checkbox"/>	Fits the Transom (Y/	<input checked="" type="checkbox"/>
MAST HOLE (1494mm dist. from pt. 0)	<input checked="" type="checkbox"/>	CENTERBOARD DIMENSIO	<input checked="" type="checkbox"/>
TRUNK HEIGHT (310 -0+3MM)	<input checked="" type="checkbox"/>	Band	<input checked="" type="checkbox"/>
		Restraining System stoppers	<input checked="" type="checkbox"/>



3'145kg

DATE MEASURED..... 17/07/2014
 MEASURER'S SIGNATURE
 MEASURER'S STAMP..... José Pérez Morales

01 SCIRA
MEASURER
SPAIN

NOTES:
Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.



Antonio Espada
Chief Measurer

PAGE 1 / 2 SCIRA MDS

Talamone September 20 2015

Mast: Position bands, Weight, COG, Boom length and position bands, Centerboard and band, Rudder dimensions and position on Stamp controlled on Talamone World 2015.

SCIRA Measurement Chek Sheet

To be used with the 80/20 true baseline measurement frame

Owner: **JORN HAGA**

Date: 17/07/2014

Hull: **28216** Builder: **Persson**

Material: Fiberglass

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-749		991-1003
3				673-699		1232-1245
4				680-705		1270-1283
5				762-787		1137-1149
Transom				902-927		952-965

Sheer

Station	Starboard	Port	TOTAL	Allowable Range	Width	Allowable Range
1				1499-1549		859-921
2				1391-1441		346-1372
3				1333-1384		1511-1537
4				1321-1372		1473-1499
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Keel

Station	Starboard	Port
1		
2		
3		
4		
5		
Transom		

Rudder

Weight 2.72 kg
Shape
Thickness
Lock
Keel ext.

Daggerboard

<input checked="" type="checkbox"/> Bottom
<input checked="" type="checkbox"/> Shape
<input checked="" type="checkbox"/> Thickness
<input checked="" type="checkbox"/> Stripe
<input checked="" type="checkbox"/> Punch mark
<input checked="" type="checkbox"/> Tapers

Horizontal Transom Offset 203-229

LOA 4711-4737

Weight **173** Kg Ballast (lead) **NO** Kg MOI **28.2**

Mast

Boom

Bow

Band loc	<input checked="" type="checkbox"/>
Length <6499mm	<input checked="" type="checkbox"/>
Limiting pin	<input checked="" type="checkbox"/>
Sheer mark	<input checked="" type="checkbox"/>
Weight/bal 9.1 kg	<input checked="" type="checkbox"/>

Band loc 2559 mm	<input checked="" type="checkbox"/>
Limiting pin	<input checked="" type="checkbox"/>
Max Length <2642 mm	<input checked="" type="checkbox"/>
Pole length <2642mm	<input checked="" type="checkbox"/>

Stem height 683-708	
Bow radius	

Topside Measurement

Aft end of Trunk 2438-2464 from stern		Length of daggerboard slot	
Top of trunk parallel to baseline		Width of daggerboard slot	
Aft edge of trunk perpendicular to baseline		Stem to mast partner >1494	1944+62
Keel to top of trunk 310-313	311	Length of foredeck >1842	
Shroud fitting to stem 1778-1981		Length of aft deck >457	
Mast step to sheer (vertical) 390-400	395	Headstay to stem 279-330	280

Measurer

José Pérez Morales

01 SCIRA
MEASURER
SPAIN

Antonio Escribano
Chief Measurer

Talamone September 20 2015

Mast: Position bands, Weight, COG, Boom length and position bands Centerboard and band, Rudder dimensions and position on Stamp controlled on Talamone World 2015.

SCIRA Measurement Chek Sheet

To be used with the 80/20 true baseline measurement frame

Owner: **JORN HAGA**

Date: 17/07/2014

Hull **28216** Builder: **Persson**

Material: Fiberglass

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-749		991-1003
3				673-699		1232-1245
4				680-705		1270-1283
5				762-787		1137-1149
Transom				902-927		952-965

Sheer

Station	Starboard	Port	TOTAL	Allowable Range	Width	Allowable Range
1				1499-1549		859-921
2				1391-1441		346-1372
3				1333-1384		1511-1537
4				1321-1372		1473-1499
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Keel

Station	Starboard	Port
1		
2		
3		
4		
5		
Transom		

Rudder

Weight 2.72 kg	<input checked="" type="checkbox"/>
Shape	<input checked="" type="checkbox"/>
Thickness	<input checked="" type="checkbox"/>
Lock	<input checked="" type="checkbox"/>
Keel ext.	<input checked="" type="checkbox"/>

Daggerboard

Bottom	<input checked="" type="checkbox"/>
Shape	<input checked="" type="checkbox"/>
Thickness	<input checked="" type="checkbox"/>
Stripe	<input checked="" type="checkbox"/>
Punch mark	<input checked="" type="checkbox"/>
Tapers	<input checked="" type="checkbox"/>

Horizontal Transom Offset 203-229

LOA 4711-4737

Weight **173** Kg Ballast (lead) **NQ** Kg MOI **28.2**

Mast

Band loc	<input checked="" type="checkbox"/>
Length <6499mm	<input checked="" type="checkbox"/>
Limiting pin	<input checked="" type="checkbox"/>
Sheer mark	<input checked="" type="checkbox"/>
Weight/bal 9.1 kg	<input checked="" type="checkbox"/>

Boom

Band loc 2559 mm	<input checked="" type="checkbox"/>
Limiting pin	<input checked="" type="checkbox"/>
Max Length <2642 mm	<input checked="" type="checkbox"/>
Pole length <2642mm	<input checked="" type="checkbox"/>

Bow

Stem height 683-708	<input type="checkbox"/>
Bow radius	<input type="checkbox"/>

Topside Measurement

Aft end of Trunk 2438-2464 from stem		Length of daggerboard slot	
Top of trunk parallel to baseline		Width of daggerboard slot	
Aft edge of trunk perpendicular to baseline		Stem to mast partner >1494	1494+62
Keel to top of trunk 310-313	311	Length of foredeck >1842	
Shroud fitting to stem 1778-1981		Length of aft deck >457	
Mast step to sheer (vertical) 390-400	395	Headstay to stem 279-330	280

Measurer

José Pérez Morales

01 SCIRA
MEASURER
SPAIN

Antonio Escribano
Chief Measurer

Talamone September 20 2015