



Snipe Class International Racing Association – Association Française des Snipes

A.F.
SNIPES

CERTIFICAT DE JAUGE N°: _____ (N° CERTIFICAT DE JAUGE PRECEDENT: Etranger)

The undersigned, duly authorized by SCIRA to issue this Certificate, has measured hull number:

Je, soussigné, dûment autorisé par la SCIRA à émettre ce Certificat, ai mesuré la coque n°:

28853 (Fleet / Flotte: 373 Nice)

and its rigging and required equipment, and found that, in my opinion, said boat complies with all requirements of the Measurement Data Sheet in effect at this date. Remeasurement of said boat will be required and this Certificate void, in the event of modification or alteration of any hull dimension, rigging or equipment.

Ainsi que son gréement et son équipement obligatoire, et estimé que le dit bateau remplit toutes les exigences de la feuille de jauge en vigueur à cette date. Une nouvelle jauge du dit bateau sera nécessaire et ce certificat nul en cas de modification de n'importe quelle dimension de sa coque de son gréement ou de son équipement.

DATE: 21/05/96 SIGNATURE: _____

Authorized Measurer / Jaugeur Agréé

[Signature]
A.F. SNIPES
14500 STAMBEQUE Cedex

This Certificate is issued subject to the terms and conditions and only for the purposes set forth herein, and in the By Laws and Rules of SCIRA as now in effect or hereafter amended. The issuance of this Certificate shall not constitute any warranty by SCIRA or the Authorized Measurer that this boat conforms to the specifications contained in the Measurement Data Sheet. This Certificate shall entitle his boat to enter and compete in any Snipe Class racing event. Any competitor in such a racing event may require remeasurement of this boat.

Ce Certificat est soumis aux termes, conditions et objets mentionnés ici et aux Règles SCIRA actuelles et futures. L'émission de ce Certificat ne constitue en aucun cas une garantie de la SCIRA ou du Jaugeur que ce bateau est conforme aux spécifications de la Feuille de Jauge. Ce certificat permet à son propriétaire de s'inscrire et de participer à n'importe quelle régate de la SCIRA. N'importe quel concurrent peut demander que le bateau soit rejaugé.

Accepted / Accepté: _____

Owner / Propriétaire

Valid only when accepted and signed by owner

Valide après acceptation et signature du propriétaire

OWNER / NOUVEAU PROPRIETAIRE

NEW OWNER / NOUVEAU PROPRIETAIRE

Name / Nom MARIAGE Bernard

Name / Nom _____

Address / Adresse 22, Montée Désambrais

Address / Adresse _____

City / Ville 06000 NICE

City / Ville _____

In case of sale of the boat this Certificate must be send back to the French Secretary.

En cas de vente du bateau, ce Certificat doit être retourné au Secrétariat de l'Association.

National Secretary / Secrétariat National: _____

[Signature]

28853

SNIPE CLASS RACING ASSOCIATION

MEASUREMENT DATA SHEET Sheet I- revised January 2009 For boats built after January 1, 2009


HULL NUMBER **28853** BUILDE **Persson**
 MODELL -- YEAR **1996**
 OWNE JUAN BATS ANÓS COUNTRY **ESP**

BARE HULL COMPLET Fron Certifield mould INCOMPLET
 HUL MATERIAL : WOOD FIBERGLASS *make note of incomplete items*
 DECK MATERIAL : WOO FIBERGLASS

HULL WEIGHT (MIN 125KG)	<input checked="" type="checkbox"/>	MAST LENGTH (6499M)	<input checked="" type="checkbox"/>
TOTAL WEIGHT (172.8KG)	<input checked="" type="checkbox"/>	Limiting bands p	<input checked="" type="checkbox"/>
BALLAST (MAX 15KG mark below)	<input checked="" type="checkbox"/>	BOOM LENGTH (2642MM from aft edge of mast)	<input checked="" type="checkbox"/>
MOI	<input checked="" type="checkbox"/>	Limiting ban	<input checked="" type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0)	<input checked="" type="checkbox"/>	POLE LENGTH (2642M)	<input checked="" type="checkbox"/>
SHROUDS (1778-1981mm dist. from	<input checked="" type="checkbox"/>	RUDDER DIMENSIO	<input checked="" type="checkbox"/>
UPPER GUDGEON (410+/-3	<input type="checkbox"/>	RUDDER WEIGHT (2.72	<input checked="" type="checkbox"/>
LOWER GUDGEON (155 +/-3	<input type="checkbox"/>	Fits the Transom (Y/	<input checked="" type="checkbox"/>
MAST HOLE (1494mm dist. from pt. 0)	<input checked="" type="checkbox"/>	CENTERBOARD DIMENSIO	<input checked="" type="checkbox"/>
TRUNK HEIGHT (310 -0+3MM)	<input checked="" type="checkbox"/>	Band	<input checked="" type="checkbox"/>
		Restraining System stoppers	<input checked="" type="checkbox"/>

Mark ballast here

Mark ballast here



DATE MEASURED..... 31/08/2017
 MEASURER'S SIGNATURE
 MEASURER'S STAMP.....Jose Pérez ..



NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

SCIRA Measurement Chek Sheet

To be used with the 80/20 true baseline measurement frame

Owner: JUAN BATS ANÓS

Date: 31/08/2017

Hull **28853** Builder: **Persson**

Material: Fiberglass

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-749		991-1003
3				673-699		1232-1245
4				680-705		1270-1283
5				762-787		1137-1149
Transom				902-927		952-965

Sheer

Station	Starboard	Port	TOTAL	Allowable Range	Width	Allowable Range
1				1499-1549		859-921
2				1391-1441		346-1372
3				1333-1384		1511-1537
4				1321-1372		1473-1499
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Keel

Station	Starboard	Port
1		
2		
3		
4		
5		
Transom		

Rudder

Weight 2.72 kg
Shape <input checked="" type="checkbox"/>
Thickness <input checked="" type="checkbox"/>
Lock <input checked="" type="checkbox"/>
Keel ext. <input checked="" type="checkbox"/>

Daggerboard

<input checked="" type="checkbox"/> Bottom <input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> Shape <input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> Thickness <input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> Stripe <input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> Punch mark <input type="checkbox"/>
<input checked="" type="checkbox"/> Tapers <input checked="" type="checkbox"/>

Horizontal Transom Offset 203-229

LOA 4711-4737

Weight **172.8** Kg Ballast (lead) **2** Kg MOI **201**

Mast

Band loc <input checked="" type="checkbox"/>
Length <6499mm <input checked="" type="checkbox"/>
Limiting pin <input checked="" type="checkbox"/>
Sheer mark <input checked="" type="checkbox"/>
Weight/bal 9.1 kg <input checked="" type="checkbox"/>

Boom

Band loc 2559 mm <input checked="" type="checkbox"/>
Limiting pin <input checked="" type="checkbox"/>
Max Length <2642 mm <input checked="" type="checkbox"/>
Pole length <2642mm <input checked="" type="checkbox"/>

Bow

Stem height 683-708 <input type="checkbox"/>
Bow radius <input type="checkbox"/>

Topside Measurement

Aft end of Trunk 2438-2464 from stem	OK	Length of daggerboard slot	OK
Top of trunk parallel to baseline	OK	Width of daggerboard slot	OK
Aft edge of trunk perpendicular to baseline	OK	Stem to mast partner >1494	1494
Keel to top of trunk 310-313	311	Length of foredeck >1842	OK
Shroud fitting to stem 1778-1981	OK	Length of aft deck >457	OK
Mast step to sheer (vertical) 390-400	395	Headstay to stem 279-330	280

Measurer Jose Pérez



