

SNIFE CLASS RACING ASSOCIATION

MEASUREMENT DATA SHEET
 Sheet I- revised January 2009
 For boats built after January 1, 2009


HULL NUMBER **29924** BUILDE **PROTO**
 MODEL **F** YEAR **2002**
 OWNE **ARTURO CHAO CORREA** COUNTRY **ESP**

BARE HULL COMPLET Fron Certifield mould INCOMPLET
 HUL MATERIAL : WOOD FIBERGLASS *make note of incomplete items*
 DECK MATERIAL : WOO FIBERGLASS

HULL WEIGHT (MIN 125KG)	<input checked="" type="checkbox"/>	MAST LENGTH (6499)	<input checked="" type="checkbox"/>
TOTAL WEIGHT (172.8KG)	<input checked="" type="checkbox"/>	Limiting bands p	<input checked="" type="checkbox"/>
BALLAST (MAX 15KG mark below)	<input checked="" type="checkbox"/>	BOOM LENGTH (2642MM from aft edge of mast)	<input checked="" type="checkbox"/>
MOI	<input checked="" type="checkbox"/>	Limiting ban	<input checked="" type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0)	<input checked="" type="checkbox"/>	POLE LENGTH (2642M)	<input checked="" type="checkbox"/>
SHROUDS (1778-1981mm dist. from pt 0)	<input checked="" type="checkbox"/>	RUDDER DIMENSIO	<input checked="" type="checkbox"/>
UPPER GUDGEON (410+/-3)	<input checked="" type="checkbox"/>	RUDDER WEIGHT (2.72)	<input checked="" type="checkbox"/>
LOWER GUDGEON (155 +/-3)	<input checked="" type="checkbox"/>	Fits the Transom (Y/	<input checked="" type="checkbox"/>
MAST HOLE (1494mm dist. from pt. 0)	<input checked="" type="checkbox"/>	CENTERBOARD DIMENSIO	<input checked="" type="checkbox"/>
TRUNK HEIGHT (310 -0+3MM)	<input checked="" type="checkbox"/>	Band	<input checked="" type="checkbox"/>
		Restraining System stoppers	<input checked="" type="checkbox"/>

Mark ballast here

Mark ballast here



DATE MEASURED..... 10/01/2002
 MEASURER'S SIGNATURE
 MEASURER'S STAMP..... José Pérez Morales

01 SCIRA
 MEASURER
 SPAIN

NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

SCIRA Measurement Chek Sheet

To be used with the 80/20 true baseline measurement frame

Owner: ARTURO CHAO CORREA

Date: 10/01/2002

Hull **29924** Builder: **PROTO**

Material: Fiberglass

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-749		991-1003
3				673-699		1232-1245
4				680-705		1270-1283
5				762-787		1137-1149
Transom				902-927		952-965

Sheer

Station	Starboard	Port	TOTAL	Allowable Range	Width	Allowable Range
1				1499-1549		859-921
2				1391-1441		346-1372
3				1333-1384		1511-1537
4				1321-1372		1473-1499
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Keel

Rudder

Daggerboard

Station	Starboard	Port	Weight 2.72 kg		Bottom	
1			Shape	<input checked="" type="checkbox"/>	Bottom	<input checked="" type="checkbox"/>
2			Thickness	<input checked="" type="checkbox"/>	Shape	<input checked="" type="checkbox"/>
3			Lock	<input checked="" type="checkbox"/>	Thickness	<input checked="" type="checkbox"/>
4			Keel ext.	<input checked="" type="checkbox"/>	Stripe	<input checked="" type="checkbox"/>
5					Punch mark	<input checked="" type="checkbox"/>
Transom					Tapers	<input checked="" type="checkbox"/>

Horizontal Transom Offset 203-229

LOA 4711-4737

Weight 172.8 Kg Ballast (lead) 3.75 Kg MOI 202

Mast

Boom

Bow

Band loc <input checked="" type="checkbox"/>	Band loc 2559 mm <input checked="" type="checkbox"/>	Stem height 683-708 <input type="checkbox"/>
Length <6499mm <input checked="" type="checkbox"/>	Limiting pin <input checked="" type="checkbox"/>	Bow radius <input type="checkbox"/>
Limiting pin <input checked="" type="checkbox"/>	Max Length <2642 mm <input checked="" type="checkbox"/>	
Sheer mark <input checked="" type="checkbox"/>	Pole length <2642mm <input checked="" type="checkbox"/>	
Weight/bal 9.1 kg <input checked="" type="checkbox"/>		

Topside Measurement

Aft end of Trunk 2438-2464 from stem		Length of daggerboard slot	
Top of trunk parallel to baseline		Width of daggerboard slot	
Aft edge of trunk perpendicular to baseline		Stem to mast partner >1494	1487+7
Keel to top of trunk 310-313	310	Length of foredeck >1842	
Shroud fitting to stem 1778-1981		Length of aft deck >457	
Mast step to sheer (vertical) 390-400	393	Headstay to stem 279-330	280

Measurer

José Pérez Morales

01 SCIRA
MEASURER
SPAIN

SNIFE CLASS RACING ASSOCIATION


MEASUREMENT DATA SHEET Sheet I- revised January 2009 For boats built after January 1, 2009

HULL NUMBER	29924	BUILDE	PROTO
MODEL	F	YEAR	2002
OWNE	ARTURO CHAO CORREA	COUNTRY	ESP

BARE HULL	<input type="checkbox"/>	COMPLET	<input type="checkbox"/>	From Certified mould	<input type="checkbox"/>	INCOMPLET	<input type="checkbox"/>
HUL MATERIAL : WOOD	<input type="checkbox"/>	FIBERGLASS	<input type="checkbox"/>	<i>make note of incomplete items</i>			
DECK MATERIAL : WOO	<input type="checkbox"/>	FIBERGLASS	<input type="checkbox"/>				

HULL WEIGHT (MIN 125KG)	<input type="checkbox"/>	MAST LENGTH (6499)	<input checked="" type="checkbox"/>
TOTAL WEIGHT (172.8KG)	<input checked="" type="checkbox"/>	Limiting bands p	<input checked="" type="checkbox"/>
BALLAST (MAX 15KG mark below)	<input checked="" type="checkbox"/>	BOOM LENGTH (2642MM from aft edge of mast)	<input checked="" type="checkbox"/>
MOI	<input checked="" type="checkbox"/>	Limiting ban	<input checked="" type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0)	<input checked="" type="checkbox"/>	POLE LENGTH (2642M)	<input checked="" type="checkbox"/>
SHROUDS (1778-1981mm dist. from	<input type="checkbox"/>	RUDDER DIMENSIO	<input checked="" type="checkbox"/>
UPPER GUDGEON (410+/-3	<input type="checkbox"/>	RUDDER WEIGHT (2.72)	<input checked="" type="checkbox"/>
LOWER GUDGEON (155 +/-3	<input type="checkbox"/>	Fits the Transom (Y/	<input checked="" type="checkbox"/>
MAST HOLE (1494mm dist. from pt. 0)	<input checked="" type="checkbox"/>	CENTERBOARD DIMENSIO	<input checked="" type="checkbox"/>
TRUNK HEIGHT (310 -0+3MM)	<input type="checkbox"/>	Band	<input checked="" type="checkbox"/>
		Restraining System stoppers	<input checked="" type="checkbox"/>

Mark ballast here



DATE MEASURED..... 10/01/2002
 MEASURER'S SIGNATURE
 MEASURER'S STAMP.....José Pérez Morales



NOTES:
 Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

SCIRA Measurement Chek Sheet

To be used with the 80/20 true baseline measurement frame

Owner: **ARTURO CHAO CORREA**

Date: 10/01/2002

Hull **29924** Builder: **PROTO**

Material: Fiberglass

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-749		991-1003
3				673-699		1232-1245
4				680-705		1270-1283
5				762-787		1137-1149
Transom				902-927		952-965

Sheer

Station	Starboard	Port	TOTAL	Allowable Range	Width	Allowable Range
1				1499-1549		859-921
2				1391-1441		346-1372
3				1333-1384		1511-1537
4				1321-1372		1473-1499
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Keel

Station	Starboard	Port
1		
2		
3		
4		
5		
Transom		

Rudder

Weight 2.72 kg
Shape
Thickness
Lock
Keel ext.

-
-
-
-

Daggerboard

<input checked="" type="checkbox"/> Bottom
<input checked="" type="checkbox"/> Shape
<input checked="" type="checkbox"/> Thickness
<input checked="" type="checkbox"/> Stripe
<input checked="" type="checkbox"/> Punch mark
<input checked="" type="checkbox"/> Tapers

Horizontal Transom Offset 203-229

LOA 4711-4737

Weight **172.8** Kg Ballast (lead) **3,75** Kg MOI **202**

Mast

Band loc	<input checked="" type="checkbox"/>
Length <6499mm	<input checked="" type="checkbox"/>
Limiting pin	<input checked="" type="checkbox"/>
Sheer mark	<input checked="" type="checkbox"/>
Weight/bal 9.1 kg	<input checked="" type="checkbox"/>

Boom

Band loc 2559 mm	<input checked="" type="checkbox"/>
Limiting pin	<input checked="" type="checkbox"/>
Max Length <2642 mm	<input checked="" type="checkbox"/>
Pole length <2642mm	<input checked="" type="checkbox"/>

Bow

Stem height 683-708	<input type="checkbox"/>
Bow radius	<input type="checkbox"/>

Topside Measurement

Aft end of Trunk 2438-2464 from stem		Length of daggerboard slot	
Top of trunk parallel to baseline		Width of daggerboard slot	
Aft edge of trunk perpendicular to baseline		Stem to mast partner >1494	1487+7
Keel to top of trunk 310-313	310	Length of foredeck >1842	
Shroud fitting to stem 1778-1981		Length of aft deck >457	
Mast step to sheer (vertical) 390-400	393	Headstay to stem 279-330	280

Measurer José Pérez Morales





**Snipe Class International Racing Association
MEASUREMENT CERTIFICATE**

Hull number **29924** Year of manufacturer **2002**

Builder **PROTO** Model **F**

Owner **ARTURO CHAO CORREA**


Country: **ESP**

Weight: **169,05** Kg

Ballast: **3,75** Kg

MOI **202**

Mark ballast here



Measurer/s : **José Pérez Morales**

Date of measurement : **10/01/2002**

LA CORUÑA



Measurer or National Secretary stamp and signature:

I hereby agree to all SCIRA rules and by-laws. I agree to notify a SCIRA measurer if any equipment modified, replaced and/or transferred
Reserver the right so measure this boat and any equipment at any time

Owner signature _____

Date : _____

THIS CERTIFICATE REMAINS WITH THE OWNER OF THIS SNIPE IT CAN BE REPLACED BY REMEASUREMENT



DATOS DE MEDICION

SECRETARIA NACIONAL ESPAÑOLA



Nº Barco **29924**

DEBE SER VERIFICADO el año: 2018

Propietario **ARTURO CHAO CORREA**

FLOTA Nac. **32** Nombre snipe **SUPER LOPEZ**

CLUB **R C NAUTICO DE MELILLA**

Color casco **Beig** Color Cubierta **Beig**

Punto 0 a 1º agujero del Herraje de proa >279 mm..... **OK** mm.

Distancia punto CERO a Fogonadura 1.494mm con tope de **7** mm.

Parte superior de la Banda a parte inferior de la orza..... **910** mm.

Altura de la parte posterior de la caja de la orza..... **310** mm.

Profundidad del Tintero (antes moldura de cinta)..... **393** mm.

Medido el: **10/01/2002** en: **LA CORUÑA**

Verificado el: **28/03/2013**

Observaciones

Empty box for observations.

Vendido a: _____

perteneciente al Club; _____ Fecha: _____

Fdo. el Vendedor,

Fdo. el Comprador,

SNIFE CLASS RACING ASSOCIATION

MEASUREMENT DATA SHEET
 Sheet I- revised January 2009
 For boats built after January 1, 2009


HULL NUMBER **29924** BUILDE **PROTO**
 MODEL **F** YEAR **2002**
 OWNE **ARTURO CHAO CORREA** COUNTRY **ESP**

BARE HULL COMPLET Fron Certifield mould INCOMPLET
 HUL MATERIAL : WOOD FIBERGLASS *make note of incomplete items*
 DECK MATERIAL : WOO FIBERGLASS

HULL WEIGHT (MIN 125KG)	<input checked="" type="checkbox"/>	MAST LENGTH (6499)	<input checked="" type="checkbox"/>
TOTAL WEIGHT (172.8KG)	<input checked="" type="checkbox"/>	Limiting bands p	<input checked="" type="checkbox"/>
BALLAST (MAX 15KG mark below)	<input checked="" type="checkbox"/>	BOOM LENGTH (2642MM from aft edge of mast)	<input checked="" type="checkbox"/>
MOI	<input checked="" type="checkbox"/>	Limiting ban	<input checked="" type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0)	<input checked="" type="checkbox"/>	POLE LENGTH (2642M)	<input checked="" type="checkbox"/>
SHROUDS (1778-1981mm dist. from pt 0)	<input checked="" type="checkbox"/>	RUDDER DIMENSIO	<input checked="" type="checkbox"/>
UPPER GUDGEON (410+/-3)	<input checked="" type="checkbox"/>	RUDDER WEIGHT (2.72)	<input checked="" type="checkbox"/>
LOWER GUDGEON (155 +/-3)	<input checked="" type="checkbox"/>	Fits the Transom (Y/	<input checked="" type="checkbox"/>
MAST HOLE (1494mm dist. from pt. 0)	<input checked="" type="checkbox"/>	CENTERBOARD DIMENSIO	<input checked="" type="checkbox"/>
TRUNK HEIGHT (310 -0+3MM)	<input checked="" type="checkbox"/>	Band	<input checked="" type="checkbox"/>
		Restraining System stoppers	<input checked="" type="checkbox"/>

Mark ballast here

Mark ballast here



DATE MEASURED..... 10/01/2002
 MEASURER'S SIGNATURE
 MEASURER'S STAMP..... José Pérez Morales

01 SCIRA
 MEASURER
 SPAIN

NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

SCIRA Measurement Chek Sheet

To be used with the 80/20 true baseline measurement frame

Owner: ARTURO CHAO CORREA

Date: 10/01/2002

Hull **29924** Builder: **PROTO**

Material: Fiberglass

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-749		991-1003
3				673-699		1232-1245
4				680-705		1270-1283
5				762-787		1137-1149
Transom				902-927		952-965

Sheer

Station	Starboard	Port	TOTAL	Allowable Range	Width	Allowable Range
1				1499-1549		859-921
2				1391-1441		346-1372
3				1333-1384		1511-1537
4				1321-1372		1473-1499
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Keel

Rudder

Daggerboard

Station	Starboard	Port	Weight 2.72 kg		Bottom	
1			Shape	<input checked="" type="checkbox"/>	Bottom	<input checked="" type="checkbox"/>
2			Thickness	<input checked="" type="checkbox"/>	Shape	<input checked="" type="checkbox"/>
3			Lock	<input checked="" type="checkbox"/>	Thickness	<input checked="" type="checkbox"/>
4			Keel ext.	<input checked="" type="checkbox"/>	Stripe	<input checked="" type="checkbox"/>
5					Punch mark	<input checked="" type="checkbox"/>
Transom					Tapers	<input checked="" type="checkbox"/>

Horizontal Transom Offset 203-229

LOA 4711-4737

Weight 172.8 Kg Ballast (lead) 3.75 Kg MOI 202

Mast

Boom

Bow

Band loc <input checked="" type="checkbox"/>	Band loc 2559 mm <input checked="" type="checkbox"/>	Stem height 683-708 <input type="checkbox"/>
Length <6499mm <input checked="" type="checkbox"/>	Limiting pin <input checked="" type="checkbox"/>	Bow radius <input type="checkbox"/>
Limiting pin <input checked="" type="checkbox"/>	Max Length <2642 mm <input checked="" type="checkbox"/>	
Sheer mark <input checked="" type="checkbox"/>	Pole length <2642mm <input checked="" type="checkbox"/>	
Weight/bal 9.1 kg <input checked="" type="checkbox"/>		

Topside Measurement

Aft end of Trunk 2438-2464 from stem		Length of daggerboard slot	
Top of trunk parallel to baseline		Width of daggerboard slot	
Aft edge of trunk perpendicular to baseline		Stem to mast partner >1494	1487+7
Keel to top of trunk 310-313	310	Length of foredeck >1842	
Shroud fitting to stem 1778-1981		Length of aft deck >457	
Mast step to sheer (vertical) 390-400	393	Headstay to stem 279-330	280

Measurer

José Pérez Morales

01 SCIRA
MEASURER
SPAIN