

**Snipe Class International Racing Association
MEASUREMENT CERTIFICATE**

Hull number 30879 Year of manufacturer 2010

Builder DB MARINE Model # MK V


Owner DB MARINE

Country ITALY Mark ballast here

Weight 172.8

Ballast 9.3 3.6 2.8 1.45 1.45

MOI 727.6



Measurer's GIORGIO BREZICH

Date of measurement 06.02.2010

Measurer or National Secretary stamp and signature 

I hereby agree to all SCIRA rules and by-laws. I agree to notify a SCIRA measurer if any equipment modified, replaced and/or transferred.
SCIRA reserves the right to measure this boat and any equipment at any time.

Owner signature _____

Date _____

THIS CERTIFICATE REMAINS WITH THE OWNER OF THIS
SNIPE. IT CAN BE REPLACED BY REMEASUREMENT.

SNIPE CLASS RACING ASSOCIATION


MEASUREMENT DATA SHEET
 Sheet I- revised January 2009
 For boats built after January 1, 2009

HULL NUMBER 30879 BUILDER DB MARINE
 MODEL MK V YEAR 2010
 OWNER DB MARINE COUNTRY ITALY

BARE HULL COMPLETE from certified mould INCOMPLETE
 HULL MATERIAL: WOOD FIBERGLASS make note of
 DECK MATERIAL: WOOD FIBERGLASS incomplete items

HULL WEIGHT (MIN 125KG) <input checked="" type="checkbox"/>	MAST LENGTH (6499MM) <input checked="" type="checkbox"/>
TOTAL WEIGHT (177.8KG) <input checked="" type="checkbox"/>	Limiting bands & pin <input checked="" type="checkbox"/>
BALLAST (MAX 15KG mark below) <input checked="" type="checkbox"/> 9.3	BOOM LENGTH (2642MM from aft edge of mast) <input checked="" type="checkbox"/>
MOI <input checked="" type="checkbox"/> 27.6	Limiting bands <input checked="" type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0) <input type="checkbox"/> 283	POLE LENGTH (2642MM) <input checked="" type="checkbox"/>
SHROUDS (1778-1861mm dist. from pt. 0) <input type="checkbox"/> 178/	RUDDER DIMENSIONS <input checked="" type="checkbox"/>
UPPER GUDGEON (410 +/- 3MM) <input type="checkbox"/> 411	RUDDER WEIGHT (2.72kg) <input checked="" type="checkbox"/> 2.95
LOWER GUDGEON (155 +/- 3MM) <input type="checkbox"/> 155	Fits the Transom (Y/N) <input checked="" type="checkbox"/>
MAST HOLE (1494mm dist. from pt. 0) <input checked="" type="checkbox"/>	CENTERBOARD DIMENSIONS <input checked="" type="checkbox"/>
TRUNK HEIGHT (310 +/- 3MM) <input type="checkbox"/> 310	Band <input checked="" type="checkbox"/>
	Restraining System & stoppers <input checked="" type="checkbox"/>

Mark ballast here



DATE MEASURED 01.06.2010

MEASURER'S SIGNATURE

MEASURER'S STAMP

01 SCIRA
 MEASURER
 ITALY

NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

SCIRA Measurement Check Sheet

To be used with the R9/20 true baseline measurement frame

Owner: DB MARINE

Date: 01.06.2010

Hull # 30879

Builder: DB MARINE

Material: F.G.

Chines Height

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-749		991-1003
3				673-699		1372-1385
4				600-705		1270-1284
5				752-757		1137-1149
Transom				902-927		952-965

Sheer

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				1499-1549		895-921
2				1391-1441		346-1372
3				1333-1384		1511-1537
4				1371-1372		1473-1493
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Keel

	Height	Width
400mm		
1		
2		
3		
4		
5		
Transom		

Rudder

Weight	
2.72kg	
Shape	
Thickness	
Lock	
Keel Ext.	

Daggerboard

Bottom	
Shape	
Thickness	
Strips	
Punch mark	
Tapers	

Horizontal Transom Offset 203-229

LOA 4711-4737

Weight 172.8

Ballast (lead) 9.3

MOI >27.6 ok

Mast

Boom

Row

Band loc.	<input checked="" type="checkbox"/>
Length <6499mm	<input checked="" type="checkbox"/>
Limiting pin	<input checked="" type="checkbox"/>
Shear mark	<input checked="" type="checkbox"/>
Weight/len 9.1kg	<input checked="" type="checkbox"/>

Band loc 2559mm	<input checked="" type="checkbox"/>
Limiting pin	<input checked="" type="checkbox"/>
Max Length <2642mm	<input checked="" type="checkbox"/>
Pole length <2642mm	<input checked="" type="checkbox"/>

Stem height 683-708	
Bow radius	<u>ok</u>

50.50
50.46
50.48

Topside Measurements

Aft end of Trunk 2438-2464 from stem	<input checked="" type="checkbox"/>	Length of daggerboard slot	<input checked="" type="checkbox"/>
Top of trunk parallel to baseline	<input checked="" type="checkbox"/>	Width of daggerboard slot	<u>12</u>
Aft edge of trunk perpendicular to baseline	<input checked="" type="checkbox"/>	Stem to mast pinion >1494	<input checked="" type="checkbox"/>
Keel to top of trunk 310-313	<u>310</u>	Length of foredeck >1042	<input checked="" type="checkbox"/>
Shroud fitting to stem 1778-1981	<u>1781</u>	Length of aft deck >457	<input checked="" type="checkbox"/>
Mast step to sheer (vertical) 390-400	<u>390</u>	Headstay to stem 279-330	<u>281</u>

Measurer GIORGIO BREZICH