

**Snipe Class International Racing Association
MEASUREMENT CERTIFICATE**

Hull number 30873 Year of manufacturer 2010

Builder JB MARINE Model # MK V

Owner COMITATO ORGANIZZADOR MAREMME

Country Puertorico Mark ballast here

Weight 172.8

Ballast 10.1 0/38 7.3

MOT 727.6



Measurer/s GIORGIO BREZICH

Date of measurement 05.05.2010

Measurer or National Secretary stamp and signature

I hereby agree to all SCIRA rules and by-laws. I agree to notify a SCIRA measurer if any equipment modified, replaced and/or transferred.
SCIRA reserves the right to measure this boat and any equipment at any time.

Owner signature _____

Date _____

THIS CERTIFICATE REMAINS WITH THE OWNER OF THIS SNIPE. IT CAN BE REPLACED BY REMEASUREMENT.

SNIPE CLASS RACING ASSOCIATION


MEASUREMENT DATA SHEET
 Sheet 1- revised January 2009
 For boats built after January 1, 2009

HULL NUMBER 30873 BUILDER DB MARINE
 MODEL MK V YEAR 2010
 OWNER COMITADO ORGANIZADOR MAYAGUEZ COUNTRY PUERTO RICO

BARE HULL COMPLETE from certified mould INCOMPLETE
 HULL MATERIAL: WOOD FIBERGLASS make note of
 DECK MATERIAL: WOOD FIBERGLASS incomplete items

HULL WEIGHT (MIN 125KG)	<input checked="" type="checkbox"/>	MAST LENGTH (6499MM)	<input type="checkbox"/>
TOTAL WEIGHT (172.8KG)	<input checked="" type="checkbox"/>	Limiting bands & pin	<input type="checkbox"/>
BALLAST (MAX 15KG mark below)	<input type="checkbox"/> 10.1	BOOM LENGTH (2062MM from aft edge of mast)	<input type="checkbox"/>
MOI	<input type="checkbox"/> 227.6	Limiting bands	<input type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0)	<input type="checkbox"/> -283	POLE LENGTH (2642MM)	<input type="checkbox"/>
SHROUDS (1278-1281mm dist. from pt. 0)	<input type="checkbox"/> 1781	RUDDER DIMENSIONS	<input type="checkbox"/>
UPPER GUDGEON (410 +/- 3MM)	<input checked="" type="checkbox"/>	RUDDER WEIGHT (2.72kg)	<input type="checkbox"/>
LOWER GUDGEON (155 +/- 3MM)	<input checked="" type="checkbox"/>	Fits the Transom (Y/N)	<input type="checkbox"/>
MAST HOLE (1494mm dist. from pt. 0)	<input checked="" type="checkbox"/>	CENTERBOARD DIMENSIONS	<input type="checkbox"/>
TRUNK HEIGHT (310 +/- 3MM)	<input type="checkbox"/> 312	Band	<input type="checkbox"/>
		Restraining System & stoppers	<input type="checkbox"/>

Mark ballast here



DATE MEASURED 05.05.2010
 MEASURER'S SIGNATURE [Signature]
 MEASURER'S STAMP SCIRA RA MEASURER ITALY

NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

SCIRA Measurement Check Sheet

To be used with the D0/20 true baseline measurement device

OWNER: COMITADO ORGANIZADOR MAYAGUEZ

Date: 05.05.2010

Hull # 30873 Builder: DB MARINE Material: F.G.

Chairs Height:

Station	Starboard	Port	Y-axis	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-749		991-1003
3				673-699		1273-1285
4				600-705		1279-1284
5				762-787		1137-1149
Transom				902-927		952-965

Sheer

Station	Starboard	Port	Y-axis	Allowable Range	Width	Allowable Range
1				1499-1549		895-921
2				1391-1441		346-1372
3				1371-1391		1211-1237
4				1332-1372		1453-1459
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Keel

Station	Height	Width
1		
2		
3		
4		
5		
Transom		

Rudder

Weight	2,72kg
Shape	
Thickness	
Lock	
Keel Ext.	

Daggerboard

Bottom	
Shape	
Thickness	
Shape	
Punch mark	
Tapers	

Horizontal Transom Offset: 203-229

1064712-4737

Weight 172.8
Mast

Ballast (lead) 10.1
Bow

MOI > 27.6 OK
Rear

Band loc	<input checked="" type="checkbox"/>
Length < 6499mm	<input checked="" type="checkbox"/>
Limiting pin	<input checked="" type="checkbox"/>
Sheer mark	<input checked="" type="checkbox"/>
Weight/Lead 0.1kg	<input checked="" type="checkbox"/>

Band loc 2559mm	<input checked="" type="checkbox"/>
Limiting pin	<input checked="" type="checkbox"/>
Max Length < 2642mm	<input checked="" type="checkbox"/>
Post length < 2042mm	<input checked="" type="checkbox"/>

Stem height 683-708	<input checked="" type="checkbox"/>
Bow radius	<input checked="" type="checkbox"/>

Topside Measurements

Aft end of Trunk 243B-2464 from stem	<input checked="" type="checkbox"/>	Length of daggerboard slot	<input checked="" type="checkbox"/>
Top of trunk parallel to baseline	<input checked="" type="checkbox"/>	Width of daggerboard slot	<u>12</u>
An edge of trunk perpendicular to baseline	<input checked="" type="checkbox"/>	Stem to mast position -188	<input checked="" type="checkbox"/>
Post to top of trunk 310-313	<u>312</u>	Length of furcoseck > 1012	<input checked="" type="checkbox"/>
Shroud fitting to stem 1778-1981	<u>(78)</u>	Length of aft deck > 457	<input checked="" type="checkbox"/>
Mast step to sheer (vertical) 390-400	<u>391</u>	Headstay to stem 279-330	<u>283</u>

MEASURER: GIORGIO BREZICH

51.34
51.35
51.35