

Snipe Class International Racing Association
MEASUREMENT CERTIFICATE

Hull number 30874 Year of manufacturer 2010

Builder DB MARINE Model # MK V

Owner DB MARINE

Country ITALY Mark ballast here

Weight 132.8

Ballast 5.2

MOI 723.6



Measurer/s GIORGIO BREZICH

Date of measurement 05.05.2010

Measurer or National Secretary stamp and signature [Signature]
MEASURER
ITALY

I hereby agree to all SCIRA rules and by doing so I agree to notify a SCIRA measurer if any equipment modified, replaced and/or transferred.

SCIRA reserves the right to measure this boat and any equipment at any time.

Owner signature _____

Date _____

THIS CERTIFICATE REMAINS WITH THE OWNER OF THIS
SNIPE. IT CAN BE REPLACED BY REMEASUREMENT.

SNIPE CLASS RACING ASSOCIATION


MEASUREMENT DATA SHEET
 Sheet 2- revised January 2009
 For boats built after January 1, 2009

HULL NUMBER 30874 BUILDER DB MARINE
 MODEL Mk V YEAR 2010
 OWNER DB MARINE COUNTRY ITALY

BARE HULL COMPLETE from certified mould INCOMPLETE
 HULL MATERIAL: WOOD FIBERGLASS make note of
 DECK MATERIAL: WOOD FIBERGLASS incomplete items

HULL WEIGHT (MIN 125KG) <input checked="" type="checkbox"/>	MAST LENGTH (6499MM) <input checked="" type="checkbox"/>
TOTAL WEIGHT (172.8KG) <input checked="" type="checkbox"/>	Limiting bands & pin <input checked="" type="checkbox"/>
BALLAST (MAX 15KG mark below) <input type="checkbox"/>	ROOM LENGTH (2642MM from aft edge of mast) <input checked="" type="checkbox"/>
MOI <input checked="" type="checkbox"/>	Limiting bands <input checked="" type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0) <input checked="" type="checkbox"/>	POLE LENGTH (2642MM) <input checked="" type="checkbox"/>
SHROULDS (1728-1981 from dist. from pt. 0) <input type="checkbox"/>	RUDDER DIMENSIONS <input checked="" type="checkbox"/>
UPPER GUDGEON (910 +/- 3MM) <input checked="" type="checkbox"/>	RUDDER WEIGHT (2.72kg) <input checked="" type="checkbox"/>
LOWER GUDGEON (155 +/- 3MM) <input checked="" type="checkbox"/>	Fits the Transom (Y/N) <input checked="" type="checkbox"/>
MAST HOLE (1494mm dist. from pt. 0) <input checked="" type="checkbox"/>	CENTERBOARD DIMENSIONS <input checked="" type="checkbox"/>
TRUNK HEIGHT (310 +/- 3MM) <input type="checkbox"/>	Band <input checked="" type="checkbox"/>
	Restraining System & stoppers <input checked="" type="checkbox"/>

Mark ballast here



DATE MEASURED 05.05.2010

SCIRA
 MEASURED
 ITALY

MEASURER'S SIGNATURE

MEASURER'S STAMP

NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

SCIRA Measurement Check Sheet

To be used with the 80/20 line baseline measurement frame

Owner: DB MARINE

Date: 05.05.2010

Hull # 30874

Builder: DB MARINE

Material: F.G.

Chines

Station	Distance	Port	Total	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-749		991-1003
3				673-699		1233-1245
4				604-703		1278-1285
5				762-767		1137-1149
Transom				902-927		952-965

Sheer

Station	Distance	Port	Total	Allowable Range	Width	Allowable Range
1				1499-1549		895-921
2				1391-1441		346-1372
3				1333-1374		1201-1217
4				1323-1372		1453-1459
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Keel

Station	Height	Width
1		
2		
3		
4		
5		
Transom		

Rudder

Weight	2.72kg
Shape	
Thickness	
Lock	
Keel Ext.	

Daggerboard

Bottom	
Shape	
Thickness	
Steps	
Punch mark	
Tapers	

Horizontal Transom Offset 203-220

LOA 4711-4737

Weight

Mast

Barrel box	✓
Length < 6499mm	✓
Limiting pin	✓
Sheer mark	✓
Weight (6.8 kg)	✓

Ballast (lead)

Room

Barrel box 2559mm	✓
Limiting pin	✓
Max Length < 2642mm	✓
Dye length < 2642mm	✓

MOI > 27.6

Room

Stem height 683-708	✓
Bow radius	✓

Topside Measurements

Aft end of Trunk 2438-2464 from stem	✓	Length of daggerboard slot	✓
Top of trunk parallel to baseline	✓	Width of daggerboard slot	✓
Aft edge of trunk perpendicular to baseline	✓	Stem to mast partner > 1496	✓ 12
Keel to top of trunk 310-313	312	Length of foredeck > 1842	✓
Shroud fitting to stem 1778-1981	1781	Length of aft deck > 457	✓
Mast step to sheer (vertical) 390-400	391	Headstay to stem 279-330	285

MANUFACTURER

SCIRA
MEASUREMENTS

ITALY