

Snipe Class International Racing Association
MEASUREMENT CERTIFICATE

Hull number 30876 Year of manufacturer 2010

Builder DE MARINE Model # MK V

Owner COMITATO ORGANIZZAZIONE MARINARE

Country TURKICIA Mark ballast here

Weight 172.9 

Ballast 7.6 0.3 4.6 

MOI 727.6

Measurer/s GIORGIO BREZICH

Date of measurement 05.05.2010

Measurer or National Secretary stamp and signature 

I hereby agree to all SCIRA rules and by-laws. ITALY notify a SCIRA measurer if any equipment modified, replaced and/or transferred.

SCIRA reserves the right to measure this boat and any equipment at any time.

Owner signature _____

Date _____

THIS CERTIFICATE REMAINS WITH THE OWNER OF THIS SNIPER. IT CAN BE REPLACED BY REMEASUREMENT.

SNIPE CLASS RACING ASSOCIATION


MEASUREMENT DATA SHEET
 Sheet 1- revised January 2009
 For boats built after January 1, 2009

HULL NUMBER 30876 BUILDER DB MARINE
 MODEL MK V YEAR 2010
 OWNER COMITADO ORGANIZADOR MAYAGUEZ COUNTRY PUERTO RICO

BARE HULL COMPLETE from certified mould INCOMPLETE
 HULL MATERIAL: WOOD FIBERGLASS make note of
 DECK MATERIAL: WOOD FIBERGLASS incomplete items

HULL WEIGHT (MIN 125KG)	<input checked="" type="checkbox"/>	MAST LENGTH (6499MM)	<input checked="" type="checkbox"/>
TOTAL WEIGHT (172.8KG)	<input checked="" type="checkbox"/>	Limiting bands & pin	<input checked="" type="checkbox"/>
BALLAST (MAX 15KG mark below)	<input checked="" type="checkbox"/>	BOOM LENGTH (2642MM from aft edge of case)	<input checked="" type="checkbox"/>
MOI	<input checked="" type="checkbox"/>	Limiting bands	<input checked="" type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0)	<input checked="" type="checkbox"/>	POLE LENGTH (2642MM)	<input checked="" type="checkbox"/>
SHROUDS (1778-1981mm dist. from pt. 0)	<input checked="" type="checkbox"/>	RUDDER DIMENSIONS	<input checked="" type="checkbox"/>
UPPER GUDGEON (410 +/- 3MM)	<input checked="" type="checkbox"/>	RUDDER WEIGHT (2.72kg)	<input checked="" type="checkbox"/>
LOWER GUDGEON (155 +/- 3MM)	<input checked="" type="checkbox"/>	Fits the Transom (Y/N)	<input checked="" type="checkbox"/>
MAST HOLE (1494mm dist. from pt. 0)	<input checked="" type="checkbox"/>	CENTERBOARD DIMENSIONS	<input checked="" type="checkbox"/>
TRUNK HEIGHT (310 +/- 1.0MM)	<input checked="" type="checkbox"/>	Band	<input checked="" type="checkbox"/>
		Restraining System & stoppers	<input checked="" type="checkbox"/>

Mark ballast here



DATE MEASURED 05.05.2010
 MEASURER'S SIGNATURE [Signature]
 MEASURER'S STAMP

NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

SCIRA Measurement Check Sheet

To be used with the 100/700 Laser Inspection Measurement System

Owner: COMITADO ORGANIZADOR MAYAGUEZ

Date: 05.05.2010

Hull # 30876

Builder: ISMARINE

Material: F.G.

Chirres: Height:

Location	St. board	Port	Starb	Allowable Deviate	Width	Allowable Deviate
1				838-864		527-540
2				724-749		991-1003
3				621-649		1293-1305
4				519-545		1295-1305
5				762-767		1137-1149
Transom				902-927		952-965

Sheer

St. board	Port	Starb	Allowable Deviate	Width	Allowable Deviate
1			1499-1549		895-921
2			1391-1441		346-372
3			1313-1364		1911-1929
4			1322-1371		1473-1499
5			1321-1372		1270-1295
Transom			1384-1435		1022-1048

Keel

Location	Height	Width
1		
2		
3		
4		
5		
Transom		

Rudder

Weight	2.72kg
Shape	
Thickness	
Lock	
Keel Ext.	

Daggerboard

Bottom	
Shape	
Thickness	
Grip	
Punch mark	
Tapers	

Horizontal Transom Offset: 203-229

100-8711-4737

Weight 172.8

Ballast (lead) 7.6

MOI > 27.6 ok

Mast

Boom

Bow

Band loc	<input checked="" type="checkbox"/>
Length < 6499mm	<input checked="" type="checkbox"/>
Limiting pin	<input checked="" type="checkbox"/>
Stem tank	<input checked="" type="checkbox"/>
Weight/ft 9.1kg	<input checked="" type="checkbox"/>

Band loc 2500mm	<input checked="" type="checkbox"/>
Limiting pin	<input checked="" type="checkbox"/>
Max Length < 2642mm	<input checked="" type="checkbox"/>
Band length < 2642mm	<input checked="" type="checkbox"/>

Stem height 603-708	<input checked="" type="checkbox"/>
Bow radius	<input checked="" type="checkbox"/>

51.78
51.76
51.78

Topside Measurements

Aft end of Trunk 2438-2464 from stem	<input checked="" type="checkbox"/>	Length of daggerboard slot	<input checked="" type="checkbox"/>
Top of trunk parallel to baseline	<input checked="" type="checkbox"/>	Width of daggerboard slot	12
Aft edge of trunk perpendicular to baseline	<input checked="" type="checkbox"/>	Stem to mast railing > 1.1m	ok
Keel to top of trunk 400-500	312	Length of foredeck > 1842	<input checked="" type="checkbox"/>
Shroud fitting to stem 1778-1981	481	Length of aft deck > 457	<input checked="" type="checkbox"/>
Mast step to sheer (vertical) 390-400	393	Headstay to stem 279-330	282

Inspector: MORALO BREZICH