

Snipe Class International Racing Association
MEASUREMENT CERTIFICATE

Hull number 30878 Year of manufacture 2010

Builder DB MARINE Model # MY V

Owner COMITATO ORGANIZADOR MAYAGUEZ

Country PUERTO RICO Mark ballast here

Weight 172.8

Ballast 5.0

MOI 727.6



Measurer's GIORGIO BREZICH

Date of measurement 05.05.2010

Measurer or National Secretary stamp and signature 

I hereby agree to all SCIRA rules and by-laws. I agree to notify a SCIRA measurer if any equipment modified, replaced and/or transferred.

SCIRA reserves the right to measure this boat and any equipment at any time.

Owner signature _____

Date _____

THIS CERTIFICATE REMAINS WITH THE OWNER OF THIS SNIPE. IT CAN BE REPLACED BY REMEASUREMENT.

SNIPE CLASS RACING ASSOCIATION


MEASUREMENT DATA SHEET
 Sheet 1- revised January 2009
 For boats built after January 1, 2009

HULL NUMBER 30878 BUILDER DB MARINE
 MODEL MK V YEAR 2010
 OWNER COMITADO ORGANIZADOR MAYAGUEZ COUNTRY PUERTO RICO

BARE HULL COMPLETE from certified mould INCOMPLETE
 HULL MATERIAL: WOOD FIBERGLASS make note of
 DECK MATERIAL: WOOD FIBERGLASS incomplete items

HULL WEIGHT (MIN 125KG)	<input type="checkbox"/> 1	MAST LENGTH (6499MM)	<input type="checkbox"/> 1
TOTAL WEIGHT (172.8KG)	<input type="checkbox"/> 2	Limiting bands & pin	<input type="checkbox"/> 2
BALLAST (MAX 15KG mark below)	<input checked="" type="checkbox"/> 5	ROOM LENGTH (2642MM from aft edge of mast)	<input type="checkbox"/> 3
MOI	<input type="checkbox"/> > 27.6	Limiting bands	<input type="checkbox"/> 4
JIB FITTING (279-330 dist. from pt 0)	<input type="checkbox"/> 282	POLE LENGTH (2642MM)	<input type="checkbox"/> 5
SHROUDS (1778-1903mm dist. from pt 0)	<input type="checkbox"/> 1781	RUDDER DIMENSIONS	<input type="checkbox"/> 6
UPPER GUDGEON (410 +/- 3MM)	<input checked="" type="checkbox"/>	RUDDER WEIGHT (2.72kg)	<input type="checkbox"/> 7
LOWER GUDGEON (155 +/- 3MM)	<input checked="" type="checkbox"/>	Fits the Transom (Y/N)	<input type="checkbox"/> 8
MAST HOLE (1494mm dist. from pt. 0)	<input checked="" type="checkbox"/>	CENTERBOARD DIMENSIONS	<input type="checkbox"/> 9
TRUNK HEIGHT (300 +/- 3MM)	<input type="checkbox"/> 312	Band	<input type="checkbox"/> 10
		Restraining System & stoppers	<input type="checkbox"/> 11

Mark ballast here



DATE MEASURED 05.05.2010
 MEASURER'S SIGNATURE [Signature]
 MEASURER'S STAMP OFFICIAL MEASURER ITALY
 NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

SCIRA Measurement Check Sheet

To be used with the 80/20 true baseline measurement frame

Owner: COMITADO ORGANIZADOR MAYAGUEZ

Date: 05.05.2010

Hull # 30878 Builder: DB MARINE Material: F.G.

Chimney

Position	Material	Part	Total	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-749		991-1003
3				675-695		1252-1275
4				688-705		1298-1323
5				762-787		1137-1149
Transom				902-927		952-965

Sheer

Position	Material	Part	Total	Allowable Range	Width	Allowable Range
1				1499-1549		895-921
2				1391-1441		346-1372
3				1333-1384		1501-1557
4				1323-1372		1453-1498
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Keel

Position	Material	Width
1		
2		
3		
4		
5		
Transom		

Rudder

Weight	
2.72kg	
Shape	
Thickness	
Lock	
Keel Ext.	

Daggerboard

Bottom	
Shape	
Thickness	
Grings	
Punch mark	
Tapers	

Horizontal Transom Offset: 203-220

LOA: 4711-4737

Weight: 172.8

Ballast (lead): 50

MOI: >27.6

526/
52.5/
52.56

Mast

Boom

Bow

Coast line	✓
Length < 6499mm	✓
Limiting pin	✓
Shroud mark	✓
Weight/total 9 lbs	✓

Band line 2550mm	✓
Limiting pin	✓
Max Length < 2642mm	✓
Pin to 2698mm < 2542mm	✓

Stem height 683-708	✓
Bow radius	✓

Topside Measurements

Aft end of Trunk 2438-2464 from stem	✓	Length of daggerboard slot	✓
Top of trunk parallel to baseline	✓	Width of daggerboard slot	12 ✓
Aft edge of trunk perpendicular to baseline	✓	Stem to mast distance > 1394	✓
Keel to top of trunk 310-313	312	Length of foredeck > 1842	✓
Shroud fitting to stem 1278-1981	1381	Length of aft deck > 457	✓
Mast step to sheer (vertical) 390-400	394	Headstay to stem 279-330	282

MEASURER:

GIORGIO JERBEK H

MEASURER

ITALY