



# SCIRA Measurement Check Sheet

To be used with the 00/70 true baseline measurement frame

Owner: \_\_\_\_\_

Date: 18.05.2010

Hull # 30883 Builder: DB MARINE Material: F.G.

### Chairs

Section	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-748		991-1003
3				673-699		1232-1245
4				687-705		1476-1482
5				762-787		1137-1149
Transom				902-927		952-965

### Sheer

Section	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				1499-1549		895-921
2				1391-1441		346-372
3				1313-1364		1571-1587
4				1326-1377		1473-1489
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

### Keel

Section	Height	Width
1		
2		
3		
4		
5		
Transom		

### Rudder

Weight	2.72kg
Shape	
Thickness	
Lock	
Keel Ext.	

### Daggerboard

Bottom	
Shape	
Thickness	
Strips	
Punch mark	
Tapers	

Horizontal Transom Offset 203-220

LOA 4711-4737

Weight 172.8

Ballast (lead) 2.3

MOI >27.6 27.6

Mast

Boom

Keel

Band Inc.	<input checked="" type="checkbox"/>
Length <6499mm	<input checked="" type="checkbox"/>
Limiting pin	<input checked="" type="checkbox"/>
Sheer mark	<input checked="" type="checkbox"/>
Weight/ln 9 kg	<input checked="" type="checkbox"/>

Band Inc.	<input checked="" type="checkbox"/>
Limiting pin	<input checked="" type="checkbox"/>
Max Length <2642mm	<input checked="" type="checkbox"/>
Band length <2642mm	<input checked="" type="checkbox"/>

Stem height 633-708	<input checked="" type="checkbox"/>
Bow radius	<input checked="" type="checkbox"/>

### Topside Measurements

Aft end of Trunk 2438-2464 from stem	<input checked="" type="checkbox"/>	Length of daggerboard slot	<input checked="" type="checkbox"/>
Top of trunk parallel to baseline	<input checked="" type="checkbox"/>	Width of daggerboard slot	<input checked="" type="checkbox"/>
Aft edge of trunk perpendicular to baseline	<input checked="" type="checkbox"/>	Stem to mast runner >1300	<input checked="" type="checkbox"/>
Keel to top of trunk 310-311	312	Length of furrdeck >1042	<input checked="" type="checkbox"/>
Shroud fitting to stem 1728-1901	1782	Length of aft deck >457	<input checked="" type="checkbox"/>
Mast step to sheer (vertical) 390-400	395	Headstay to stem 279-330	285

MEASUREMENT GIORGIO BREZICH

**01 SCIRA MEASUREMENT ITALY**

52.98  
52.82  
52.84

# SNIPE CLASS RACING ASSOCIATION


MEASUREMENT DATA SHEET  
 Sheet 1- revised January 2009  
 For boats built after January 1, 2009

HULL NUMBER 30910 BUILDER DB MARINE  
 MODEL Mk V YEAR 2010  
 OWNER DB MARINE COUNTRY ITALY

BARE HULL  COMPLETE  from certified mould  INCOMPLETE   
 HULL MATERIAL: WOOD  FIBERGLASS  make note of  
 DECK MATERIAL: WOOD  FIBERGLASS  incomplete items

HULL WEIGHT (MIN 125KG)	<input checked="" type="checkbox"/>	MAST LENGTH (6499MM)	<input checked="" type="checkbox"/>
TOTAL WEIGHT (172.8KG)	<input checked="" type="checkbox"/>	Limiting bands & pin	<input checked="" type="checkbox"/>
BALLAST (MAX 15KG? mark below)	<input checked="" type="checkbox"/> 7.1	ROOM LENGTH (2642MM from aft edge of mast)	<input checked="" type="checkbox"/>
MOI	<input checked="" type="checkbox"/> 227.6	Limiting bands	<input checked="" type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0)	<input checked="" type="checkbox"/> 283	POLE LENGTH (2642MM)	<input checked="" type="checkbox"/>
SPROUDS (1779-1981mm dist from pt. 0)	<input checked="" type="checkbox"/> 1783	RUDDER DIMENSIONS	<input checked="" type="checkbox"/>
UPPER GUDGEON (410 +/- 3MM)	<input checked="" type="checkbox"/> 411	RUDDER WEIGHT (2.72kg)	<input checked="" type="checkbox"/>
LOWER GUDGEON (155 +/- 3MM)	<input checked="" type="checkbox"/> 156	Fits the Transom (Y/N)	<input checked="" type="checkbox"/>
MAST HOLE (1459mm dist. from pt. 0)	<input checked="" type="checkbox"/>	CENTERBOARD DIMENSIONS	<input checked="" type="checkbox"/>
TRUNK HEIGHT (310 +/- 3MM)	<input checked="" type="checkbox"/> 313	Band	<input checked="" type="checkbox"/>
		Restraining System & stoppers	<input checked="" type="checkbox"/>

Mark ballast here



DATE MEASURED 18.05.2010

MEASURER'S SIGNATURE [Signature]

MEASURER'S STAMP

**01 SCIRA**  
**MEASURER**  
**ITALY**

NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.