

**Snipe Class International Racing Association
MEASUREMENT CERTIFICATE**

Hull number 30909 Year of manufacturer 2010

Builder DB MARINE Model # MK V

Owner DB MARINE

Country ITALY

Weight 172.8

Ballast 3.3

MOI 727.6



Measurer/s GIORGIO BREZICH

Date of measurement 06.30.2010

Measurer or National Secretary stamp and signature  **SCIRA MEASURER ITALY**

I hereby agree to all SCIRA rules and by-laws. I agree to notify a SCIRA measurer if any equipment modified, replaced and/or transferred.
SCIRA reserves the right to measure this boat and any equipment at any time.

Owner signature _____

Date _____

THIS CERTIFICATE REMAINS WITH THE OWNER OF THIS
SNIPE. IT CAN BE REPLACED BY REMEASUREMENT.

SCIRA Measurement Check Sheet

To be used with the 80/20 true baseline measurement frame

Owner: DB MARINE

Date: 06.30.2010

Hull # 30909 Builder: DB MARINE Material: F.G.

Chines Height

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-749		991-1003
3				671-690		1732-1745
4				609-705		1359-1381
5				762-787		1137-1149
Transom				902-927		952-965

Sheer

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				1399-1549		895-921
2				1391-1441		346-1372
3				1333-1384		1911-1937
4				1321-1372		1473-1499
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Keel

	Height	Width
400mm		
1		
2		
3		
4		
5		
Transom		

Rudder

Weight	2.72kg	✓
Shape		✓
Thickness		✓
Lock		✓
Keel Ext.		✓

Daggerboard

Bottom	✓
Shape	✓
Thickness	✓
Stripe	✓
Punch mark	✓
Tapers	✓

Horizontal Transom Offset 203-229 LOA 4711-4737

Weight 172.8 Ballast (lead) 3.3 MOI >27.6

Mast Boom Bow

Band fix.	✓
Length <6499mm	✓
Limiting pin	✓
Show mark	✓
Weight/ft 9.1kg	✓

Band top 2399mm	✓
Limiting pin	✓
Max Length <2642mm	✓
Plate length <2642mm	✓

Stem height 683-708	✓
Bow radius	✓

51.92
51.93
51.97

Topside Measurements

Aft end of Trunk 2438-2464 from stern	✓	Length of daggerboard slot	✓
Top of trunk parallel to baseline	✓	Width of daggerboard slot	✓
Aft edge of trunk perpendicular to baseline	✓	Stem to mast partner >144	✓
Keel to top of trunk 310-317	311	Length of forestack >1042	✓
Shroud rising to stem 1778-1981	1785	Length of aft deck >457	✓
Mast step to sheer (vertical) 390-409	391	Headstay to stem 279-330	284

Measurer: GIORGIO BREZICH

SNIPE CLASS RACING ASSOCIATION


MEASUREMENT DATA SHEET
 Sheet I- revised January 2009
 For boats built after January 1, 2009

HULL NUMBER 30909 BUILDER DB MARINE
 MODEL Mk V YEAR 2010
 OWNER DB MARINE COUNTRY ITALY

BARE HULL COMPLETE from certified mould INCOMPLETE
 HULL MATERIAL: WOOD FIBERGLASS make note of
 DECK MATERIAL: WOOD FIBERGLASS incomplete items

HULL WEIGHT (MIN 125KG)	<input checked="" type="checkbox"/>	MAST LENGTH (6499MM)	<input checked="" type="checkbox"/>
TOTAL WEIGHT (172.8KG)	<input checked="" type="checkbox"/>	Limiting bands & pin	<input checked="" type="checkbox"/>
BALLAST (MAX 15KG mark below)	<input type="checkbox"/> 3.3	BOOM LENGTH (2647MM from aft edge of mast)	<input checked="" type="checkbox"/>
MOI	<input type="checkbox"/> 727.6	Limiting bands	<input checked="" type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0)	<input type="checkbox"/> 284	POLE LENGTH (2642MM)	<input checked="" type="checkbox"/>
SHROUDS (1778-1981mm dist. from pt. 0)	<input type="checkbox"/> 1785	RUDDER DIMENSIONS	<input checked="" type="checkbox"/>
UPPER GUDGEON (+10 +/-3MM)	<input type="checkbox"/> 411	RUDDER WEIGHT (2.72kg)	<input checked="" type="checkbox"/>
LOWER GUDGEON (155 +/-3MM)	<input type="checkbox"/> 157	Fits the Transom (Y/N)	<input checked="" type="checkbox"/>
MAST HOLE (1434mm dist. from pt. 0)	<input checked="" type="checkbox"/>	CENTERBOARD DIMENSIONS	<input checked="" type="checkbox"/>
TRUNK HEIGHT (310 -0 +/-3MM)	<input type="checkbox"/> 311	Band	<input checked="" type="checkbox"/>
		Restraining System & stoppers	<input checked="" type="checkbox"/>

Mark ballast here



DATE MEASURED 06.30.2010

MEASURER'S SIGNATURE

MEASURER'S STAMP

01 SCIRA
MEASURER
ITALY

NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.