


**Snipe Class International Racing Association
MEASUREMENT CERTIFICATE**

Hull number 30911 Year of manufacturer 2010

Builder DB MARINE Model # Mk V


Owner SAILFAST

Country JAPAN **Mark ballast here**
Weight 172.8
Ballast 9.94 2.63 / 2.84 / 4.47
MOI 727.6



Measurer/s GIORGIO BREZICH

Date of measurement 15.06.2010

Measurer or National Secretary
stamp and signature 

I hereby agree to all SCIRA rules and by-laws. I agree to notify a SCIRA measurer if any equipment modified, replaced and/or transferred.

SCIRA reserves the right to measure this boat and any equipment at any time.

Owner signature _____

Date _____

THIS CERTIFICATE REMAINS WITH THE OWNER OF THIS
SNIPE. IT CAN BE REPLACED BY REMEASUREMENT.

SNIPE CLASS RACING ASSOCIATION


MEASUREMENT DATA SHEET
 Sheet I- revised January 2009
 For boats built after January 1, 2009

HULL NUMBER 30911 BUILDER DB MARINE
 MODEL MK V YEAR 2010
 OWNER SAILFAST COUNTRY JAPAN

BARE HULL COMPLETE from certified mould INCOMPLETE
 HULL MATERIAL: WOOD FIBERGLASS make note of
 DECK MATERIAL: WOOD FIBERGLASS incomplete items

| | |
|---|--|
| HULL WEIGHT (MIN 125KG) <input checked="" type="checkbox"/> | MAST LENGTH (6499MM) <input checked="" type="checkbox"/> |
| TOTAL WEIGHT (172.8KG) <input checked="" type="checkbox"/> | Limiting bands & pin <input checked="" type="checkbox"/> |
| BALLAST (MAX 15KG mark below) <input type="checkbox"/> 9.94 | BOOM LENGTH (2642MM from aft edge of mast) <input checked="" type="checkbox"/> |
| MOI <input type="checkbox"/> 27.6 | Limiting bands <input checked="" type="checkbox"/> |
| JIB FITTING (279-330 dist. from pt 0) <input type="checkbox"/> 285 | POLE LENGTH (2642MM) <input checked="" type="checkbox"/> |
| SHROUDS (1778-1981mm dist. from pt. 0) <input type="checkbox"/> 1782 | RUDDER DIMENSIONS <input checked="" type="checkbox"/> |
| UPPER GUDGEON (410 +/-3MM) <input type="checkbox"/> 413 | RUDDER WEIGHT (2.72kg) <input checked="" type="checkbox"/> |
| LOWER GUDGEON (155 +/-3MM) <input type="checkbox"/> 157 | Fits the Transom (Y/N) <input checked="" type="checkbox"/> |
| MAST HOLE (1494mm dist. from pt. 0) <input checked="" type="checkbox"/> | CENTERBOARD DIMENSIONS <input checked="" type="checkbox"/> |
| TRUNK HEIGHT (310 -0/+3MM) <input type="checkbox"/> 312 | Band <input checked="" type="checkbox"/> |
| | Restraining System & stoppers <input checked="" type="checkbox"/> |

Mark ballast here



DATE MEASURED... 06.15.2010

MEASURER'S SIGNATURE [Signature]

MEASURER'S STAMP [Stamp]

NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

546
157.5
393.5

SCIRA Measurement Check Sheet

To be used with the 80/20 true baseline measurement frame

Owner: SAILFAST

Date: 06.15.2010

Hull # 30911

Builder: DB MARINE

Material: F.G.

Chines Height:

| Station | Starboard | Port | Total | Allowable Range | Width | Allowable Range |
|---------|-----------|------|-------|-----------------|-------|-----------------|
| 1 | | | | 838-864 | | 527-540 |
| 2 | | | | 724-749 | | 991-1003 |
| 3 | | | | 673-699 | | 1237-1245 |
| 4 | | | | 680-705 | | 1270-1283 |
| 5 | | | | 762-787 | | 1137-1149 |
| Transom | | | | 902-927 | | 952-965 |

Sheer

| Station | Starboard | Port | Total | Allowable Range | Width | Allowable Range |
|---------|-----------|------|-------|-----------------|-------|-----------------|
| 1 | | | | 1499-1549 | | 895-921 |
| 2 | | | | 1391-1441 | | 346-1372 |
| 3 | | | | 1333-1384 | | 1511-1537 |
| 4 | | | | 1321-1372 | | 1473-1499 |
| 5 | | | | 1321-1372 | | 1270-1295 |
| Transom | | | | 1384-1435 | | 1022-1048 |

Keel

| 400mm | Height | Width |
|---------|--------|-------|
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| Transom | | |

Rudder

| | | |
|-----------|--------|---|
| Weight | 2.72kg | ✓ |
| Shape | | ✓ |
| Thickness | | ✓ |
| Lock | | ✓ |
| Keel Ext. | | ✓ |

Daggerboard

| | |
|------------|---|
| Bottom | ✓ |
| Shape | ✓ |
| Thickness | ✓ |
| Stripe | ✓ |
| Punch mark | ✓ |
| Tapers | ✓ |

Horizontal Transom Offset 203-229 203 LOA 4711-4737

Weight 172.8

Ballast (lead) 9.94

MOI > 27.6 OK

Mast

Boom

Bow

| | |
|------------------|---|
| Band loc | ✓ |
| Length < 6499mm | ✓ |
| Limiting pin | ✓ |
| Sheer mark | ✓ |
| Weight/bal 9.1kg | ✓ |

| | |
|----------------------|---|
| Band loc 2559mm | ✓ |
| Limiting pin | ✓ |
| Max Length < 2642mm | ✓ |
| Pole length < 2642mm | ✓ |

| | |
|---------------------|---|
| Stem height 683-708 | ✓ |
| Bow radius | ✓ |

Topside Measurements

| | | | |
|---|------|-----------------------------|------|
| Aft end of Trunk 2438-2464 from stem | ✓ | Length of daggerboard slot | ✓ |
| Top of trunk parallel to baseline | ✓ | Width of daggerboard slot | ✓ |
| Aft edge of trunk perpendicular to baseline | ✓ | Stem to mast partner > 1494 | ✓ 12 |
| Keel to top of trunk 310-313 | 312 | Length of foredeck > 1842 | ✓ |
| Shroud fitting to stem 1778-1981 | 1782 | Length of aft deck > 457 | ✓ |
| Mast step to sheer (vertical) 390-400 | 392 | Headstay to stem 279-330 | 285 |

Measurer GIORGIO BREZICH

01 SCIRA
MEASUREP
ITALY

57.27
57.28
57.23