

SNIPE CLASS RACING ASSOCIATION

MEASUREMENT DATA SHEET

Sheet I- revised January 2009

For boats built after January 1, 2009

HULL NUMBER **30917** BUILDER *Tsuji-do*


MODEL YEAR *2010*

OWNER *Nat Institute of Sports* COUNTRY *JAPAN*
in KANOYA

BARE HULL COMPLETE from certified mould INCOMPLETE
HULL MATERIAL: WOOD FIBERGLASS *make note of*
DECK MATERIAL: WOOD FIBERGLASS *incomplete items*

- | | | | |
|--|-------------------------------------|--|-------------------------------------|
| HULL WEIGHT (MIN 125KG) | <input checked="" type="checkbox"/> | MAST LENGTH (6499MM) | <input checked="" type="checkbox"/> |
| TOTAL WEIGHT (172.8KG) | <input checked="" type="checkbox"/> | Limiting bands & pin | <input checked="" type="checkbox"/> |
| BALLAST (MAX 15KG mark below) | <input checked="" type="checkbox"/> | BOOM LENGTH (2642MM from aft edge of mast) | <input checked="" type="checkbox"/> |
| MOI | <input checked="" type="checkbox"/> | Limiting bands | <input checked="" type="checkbox"/> |
| JIB FITTING (279-330 dist. from pt 0) | <input checked="" type="checkbox"/> | POLE LENGTH (2642MM) | <input checked="" type="checkbox"/> |
| SHROUDS (1778-1981mm dist. from pt. 0) | <input checked="" type="checkbox"/> | RUDDER DIMENSIONS | <input checked="" type="checkbox"/> |
| UPPER GUDGEON (410+/-3MM) | <input checked="" type="checkbox"/> | RUDDER WEIGHT (2.72kg) | <input checked="" type="checkbox"/> |
| LOWER GUDGEON (155 +/-3MM) | <input checked="" type="checkbox"/> | Fits the Transom (Y/N) | <input checked="" type="checkbox"/> |
| MAST HOLE (1494mm dist. from pt. 0) | <input checked="" type="checkbox"/> | CENTERBOARD DIMENSIONS | <input checked="" type="checkbox"/> |
| TRUNK HEIGHT (310 -0+3MM) | <input checked="" type="checkbox"/> | Band | <input checked="" type="checkbox"/> |
| | | Restraining System & stoppers | <input checked="" type="checkbox"/> |

Mark ballast here



DATE MEASURED *06.15.2010*

MEASURER'S SIGNATURE *NOBUHIKO KUDARA*

MEASURER'S STAMP **01 SCIRA MEASURER JAPAN**

NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

SCIRA

Measurer: NOBUHIKO KUBOTA

✓	Aft end of Trunk 2438-2464 from stem	✓	Length of daggerboard slot
✓	Top of trunk parallel to baseline	✓	Width of daggerboard slot
✓	Aft edge of trunk perpendicular to baseline	✓	Stem to mast partner > 1494
✓	Keel to top of trunk 310-313	✓	Length of foredeck > 1842
✓	Shroud fitting to stem 1778-1981	✓	Length of aft deck > 457
✓	Mast step to sheer (vertical) 390-400	✓	Headstay to stem 279-330

Topside Measurements

✓	Band loc	✓	Band loc 2559mm
✓	Length > 6499mm	✓	Limiting pin
✓	Limiting pin	✓	Max Length > 2642mm
✓	Sheer mark	✓	Pole length > 2642mm
✓	Weight/bal 9.1kg		

Mast Weight 172.8kg
 Ballast (lead) 12.68kg MOI > 27.6-200
 Boom
 Bow

Horizontal Transom Offset 203-229
 LOA 4711-4737

400mm	Height	Weight 2.72kg	Keel Ext.
1		Shape	Lock
2		Thickness	
3		Shape	
4		Thickness	
5		Shape	
Transom	Width	Bottom	Tapers

Keel

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				1499-1549		895-921
2				1391-1441		346-1372
3				1333-1384		1511-1537
4				1321-1372		1473-1499
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Sheer

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-749		991-1003
3				673-699		1232-1245
4				680-705		1270-1283
5				762-787		1137-1149
Transom				902-927		952-965

Chines

Hull # 30917
 Builder: Tsuyido Material: Fiberglass
 Owner: National Institute of Fitness Date: 06/15/2020
and Sports in KARORA

SCIRA Measurement Check Sheet
 To be used with the 80/20 true baseline measurement frame

(第七号様式)

計測証明書

登録番号 No. 30917

新規計測・再計測

- 1. 所有者 氏名 鹿屋体育大学
住所
- 2. 建造者 氏名 辻堂加工
住所

上記は本協会登録計測証であることを証明する。


日本スナイプ協会

計測年月日 2010年6月15日

計測員

署名 山田 十子

バラスト材質 鉛, 艇重量 172.8kg, バラスト重量 2.68kg



備考 MOI = 200 喫水 = 67.4cm
 スピル係数 = 14.66 (25目 = 67.4cm)

新規計測と再計測のどちらかを消す。
再計測証明書は、新規計測書に重ねて綴る。

計測証明書の再発行 (移籍、紛失)

年 月 日 発行者氏名

㊞