

SNIPE CLASS RACING ASSOCIATION


MEASUREMENT DATA SHEET Sheet I- revised January 2009 For boats built after January 1, 2009

HULL NUMBER **30918** BUILDER *Tsujiido*
 MODEL YEAR *2010*
 OWNER *Seikei University* COUNTRY *JAPAN*

BARE HULL COMPLETE from certified mould INCOMPLETE
 HULL MATERIAL: WOOD FIBERGLASS *make note of*
 DECK MATERIAL: WOOD FIBERGLASS *incomplete items*

HULL WEIGHT (MIN 125KG)	<input checked="" type="checkbox"/>	MAST LENGTH (6499MM)	<input checked="" type="checkbox"/>
TOTAL WEIGHT (172.8KG)	<input checked="" type="checkbox"/>	Limiting bands & pin	<input checked="" type="checkbox"/>
BALLAST (MAX 15KG mark below)	<input checked="" type="checkbox"/>	BOOM LENGTH (2642MM from aft edge of mast)	<input checked="" type="checkbox"/>
MOI	<input checked="" type="checkbox"/>	Limiting bands	<input checked="" type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0)	<input checked="" type="checkbox"/>	POLE LENGTH (2642MM)	<input checked="" type="checkbox"/>
SHROUDS (1778-1981mm dist. from pt. 0)	<input checked="" type="checkbox"/>	RUDDER DIMENSIONS	<input checked="" type="checkbox"/>
UPPER GUDGEON (410+/-3MM)	<input checked="" type="checkbox"/>	RUDDER WEIGHT (2.72kg)	<input checked="" type="checkbox"/>
LOWER GUDGEON (155 +/-3MM)	<input checked="" type="checkbox"/>	Fits the Transom (Y/N)	<input checked="" type="checkbox"/>
MAST HOLE (1494mm dist. from pt. 0)	<input checked="" type="checkbox"/>	CENTERBOARD DIMENSIONS	<input checked="" type="checkbox"/>
TRUNK HEIGHT (310 -0+3MM)	<input checked="" type="checkbox"/>	Band	<input checked="" type="checkbox"/>
		Restraining System & stoppers	<input checked="" type="checkbox"/>

Mark ballast here



DATE MEASURED *06.15.2010*
 MEASURER'S SIGNATURE *NOBUHIKO KUDARA*
 MEASURER'S STAMP **OT MEASUREP JAPAN**

NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

JAPAN

Measurer NOBUHIKO KODAMA

✓	Aft end of Trunk 2438-2464 from stem	✓	Length of daggerboard slot	✓
✓	Top of trunk parallel to baseline	✓	Width of daggerboard slot	✓
✓	Aft edge of trunk perpendicular to baseline	✓	Stem to mast partner > 1494	✓
✓	Keel to top of trunk 310-313	✓	Length of foredeck > 1842	✓
✓	Shroud fitting to stem 1778-1981	✓	Length of aft deck > 457	✓
✓	Mast step to sheer (vertical) 390-400	✓	Headstay to stem 279-330	✓

Topside Measurements

✓	Band loc
✓	Length > 649mm
✓	Limiting pin
✓	Limiting pin
✓	Sheer mark
✓	Weight/bal 9.1kg

✓	Band loc 2559mm
✓	Limiting pin
✓	Max Length > 2642mm
✓	Pole length > 2642mm

✓	Stem height 683-708
✓	Bow radius

Mast **Weight** 172.8kg **Ballast (lead)** 13.4kg **MOI** > 27.6 200

Boom

Horizontal Transom Offset 203-229 **LOA** 4711-4737

400mm	1	2	3	4	5	Transom
Height						
Width						

Weight	2.72kg
Shape	
Thickness	
Lock	
Keel Ext.	

Bottom	
Shape	
Thickness	
Stripe	
Punch mark	
Tapers	

Daggerboard

Rudder

Keel

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1			1499-1549	1391-1441		895-921
2			1391-1441	1333-1384		346-1372
3			1321-1372	1321-1372		1511-1537
4			1321-1372	1321-1372		1473-1499
5			1384-1435	1321-1372		1270-1295
Transom				1384-1435		1022-1048

Sheer

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1			838-864	724-749		527-540
2			673-699	673-699		991-1003
3			680-705	680-705		1232-1245
4			762-787	680-705		1270-1283
5			902-927	762-787		1137-1149
Transom				902-927		952-965

Chines

Hull # **30918** **Builder:** Izuyido **Material:** Fib

Owner: Sekel University **Date:** 05/20/2020

To be used with the 80/20 true baseline measurement frame

SCIRA Measurement Check Sheet

(第七号様式)

計測証明書

登録番号 No. 30918

新規計測・再計測

- 1. 所有者 氏名 成蹊大学
住所 _____
- 2. 建造者 氏名 辻堂加工
住所 _____

上記は本協会登録計測証であることを証明する。


日本スナイプ協会

計測年月日 2010年6月15日

計測員

署名 山田州子

バラスト材質 鉛, 艇重量 172.8 kg, バラスト重量 15.4 kg



備考 $MOI = 200$

実測値 = 67.4秒

スプリング係数 = 14.664 (25回 = 67.4秒)

計測証明書の再発行 (移籍、紛失)

年 月 日 発行者氏名

㊞

新規計測と再計測のどちらかを消す。
再計測証明書は、新規計測書に重ねて綴る。