

SNIPE CLASS RACING ASSOCIATION


MEASUREMENT DATA SHEET Sheet I- revised January 2009 For boats built after January 1, 2009

HULL NUMBER 31070 BUILDER Tsujiro
 MODEL YEAR 2012.4.25
 OWNER AISHIN AI COUNTRY JAPAN

BARE HULL COMPLETE from certified mould INCOMPLETE
 HULL MATERIAL: WOOD FIBERGLASS make note of
 DECK MATERIAL: WOOD FIBERGLASS incomplete items

HULL WEIGHT (MIN 125KG)	<input checked="" type="checkbox"/>	MAST LENGTH (6499MM)	<input checked="" type="checkbox"/>
TOTAL WEIGHT (172.8KG)	<input checked="" type="checkbox"/>	Limiting bands & pin	<input checked="" type="checkbox"/>
BALLAST (MAX 15KG mark below)	<input checked="" type="checkbox"/>	BOOM LENGTH (2642MM from aft edge of mast)	<input checked="" type="checkbox"/>
MOI	<input checked="" type="checkbox"/>	Limiting bands	<input checked="" type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0)	<input checked="" type="checkbox"/>	POLE LENGTH (2642MM)	<input checked="" type="checkbox"/>
SHROUDS (1778-1981mm dist. from pt. 0)	<input checked="" type="checkbox"/>	RUDDER DIMENSIONS	<input checked="" type="checkbox"/>
UPPER GUDGEON (410+/-3MM)	<input checked="" type="checkbox"/>	RUDDER WEIGHT (2.72kg)	<input checked="" type="checkbox"/>
LOWER GUDGEON (155 +/-3MM)	<input checked="" type="checkbox"/>	Fits the Transom (Y/N)	<input checked="" type="checkbox"/>
MAST HOLE (1494mm dist. from pt. 0)	<input checked="" type="checkbox"/>	CENTERBOARD DIMENSIONS	<input checked="" type="checkbox"/>
TRUNK HEIGHT (310 -0+3MM)	<input checked="" type="checkbox"/>	Band	<input checked="" type="checkbox"/>
		Restraining System & stoppers	<input checked="" type="checkbox"/>

Mark ballast here



DATE MEASURED 2012.4.25

MEASURER'S SIGNATURE NOBOHIKO KUDARA

MEASURER'S STAMP



NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

SCIRA Measurement Check Sheet

To be used with the 80/20 true baseline measurement frame

Owner: ALSHIN A1 Date: 2012.4.25

Hull # 31070 Builder: Isujido Material: FRP

Chines Height

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-749		991-1003
3				673-699		1232-1245
4				680-705		1270-1283
5				762-787		1137-1149
Transom				902-927		952-965

Sheer

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				1499-1549		895-921
2				1391-1441		346-372
3				1333-1384		1511-1537
4				1321-1372		1473-1499
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Keel

400mm	Height	Width
1		
2		
3		
4		
5		
Transom		

Rudder

Weight	Shape	Thickness	Lock	Keel Ext.
2.72kg				

Daggerboard

Bottom	Shape	Thickness	Stripe	Punch mark	Tapers

Horizontal Transom Offset 203-229 LOA 4711-4737

Mast Weight 172.8kg ~~143.5kg~~ Ballast (lead) 14.35kg MOI > 276 ~~200~~

Mast

Band loc	Length > 649mm	Limiting pin	Sheer mark	Weight/bal 9.1kg

Boom

Band loc	Limiting pin	Max Length < 2642mm	Pole length < 2642mm

Bow

Stem height	Bow radius
683-708	

Topside Measurements

Length of daggerboard slot	Width of daggerboard slot	Stem to mast partner > 1494	Length of foredeck > 1842	Length of aft deck > 457	Headstay to stem 279-330

Measurer: NOBUHIKO, KUDARA

計測証明書

登録番号 No. 31070

新規計測・再計測

- 1. 所有者 氏名 アイシエーアイ
住所 アイシエーアイ
- 2. 建造者 氏名 辻堂加工
住所 辻堂加工


上記は本協会登録計測証であることを証明する

日本スナイプ協会


計測年月日 2012年 4月 25日

計測員

署名 山田十一子



バラスト材質 鉛 , 艇重量 12.8 kg, バラスト重量 11.8 kg



備考 $MOI = 200$ 実測値 = 67.2秒
 スプリング係数 = 14.7523 (25回 = 67.2秒)

計測証明書の再発行 (移籍、紛失)

年 月 日 発行者氏名



新規計測と再計測のどちらかを消す。
再計測証明書は、新規計測書に重ねて綴る。