

SNIFE CLASS RACING ASSOCIATION

MEASUREMENT DATA SHEET

Sheet I- revised January 2009

For boats built after January 1, 2009

21238

HULL NUMBER **31238** BUILDER *Tsujiido*


MODEL YEAR *3.5.2014*

OWNER *Security Protection Network Co., Ltd* COUNTRY *JAPAN*

BARE HULL COMPLETE from certified mould INCOMPLETE
 HULL MATERIAL: WOOD FIBERGLASS make note of
 DECK MATERIAL: WOOD FIBERGLASS incomplete items

HULL WEIGHT (MIN 125KG) <input checked="" type="checkbox"/>	MAST LENGTH (6499MM) <input checked="" type="checkbox"/>
TOTAL WEIGHT (172.8KG) <input checked="" type="checkbox"/>	Limiting bands & pin <input checked="" type="checkbox"/>
BALLAST (MAX 15KG mark below) <input checked="" type="checkbox"/>	BOOM LENGTH (2642MM from aft edge of mast) <input checked="" type="checkbox"/>
MOI <input checked="" type="checkbox"/>	Limiting bands <input checked="" type="checkbox"/>
JIB FITTING (279-230 dist. from pt 0) <input checked="" type="checkbox"/>	POLE LENGTH (2642MM) <input checked="" type="checkbox"/>
SHROUDS (1778-1981mm dist. from pt. 0) <input checked="" type="checkbox"/>	RUDDER DIMENSIONS <input checked="" type="checkbox"/>
UPPER GUDGEON (410 +/- 3MM) <input checked="" type="checkbox"/>	RUDDER WEIGHT (2.72kg) <input checked="" type="checkbox"/>
LOWER GUDGEON (155 +/- 3MM) <input checked="" type="checkbox"/>	Fits the Transom (Y/N) <input checked="" type="checkbox"/>
MAST HOLE (1494mm dist. from pt. 0) <input checked="" type="checkbox"/>	CENTERBOARD DIMENSIONS <input checked="" type="checkbox"/>
TRUNK HEIGHT (310 -0+3MM) <input checked="" type="checkbox"/>	Band <input checked="" type="checkbox"/>
	Restraining System & stoppers <input checked="" type="checkbox"/>


Mark ballast here



DATE MEASURED *3.5.2014*

MEASURER'S SIGNATURE *NOBUHIKO KUPARA*

MEASURER'S STAMP



NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

SCIRA Measurement Check Sheet

To be used with the 80/20 true baseline measurement frame

Owner: Security Protection Network Co. Ltd Date: 3.5. 2014

Hull # 31238 Builder: Tsuji-do Material: FRP

Station	Height		Total	Allowable Range	Width	Allowable Range
	Starboard	Port				
1				838-864		527-540
2				724-749		991-1003
3				673-699	OK	1232-1245
4				680-705		1270-1283
5				762-787		1137-1149
Transom				902-927		952-965

Station	Sheer		Total	Allowable Range	Width	Allowable Range
	Starboard	Port				
1				1499-1549		895-921
2				1391-1441		346-1372
3				1333-1384	OK	1511-1537
4				1321-1372		1473-1499
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Keel	Height		Width
	Starboard	Port	
400mm			
1			
2			
3			
4			
5			
Transom			

Rudder	
Weight	2.12kg ✓
Shape	✓
Thickness	✓
Lock	✓
Keel Ext.	✓

Daggerboard	
Bottom	✓
Shape	✓
Thickness	✓
Stripe	✓
Punch mark	✓
Tapers	✓

Horizontal Transom Offset 203-229 OK LOA 4711-4737 OK

Weight 172.8kg Ballast (lead) 12.5kg MOI >27.6 OK

Mast	
Band loc	✓
Length <6499mm	✓
Limiting pin	✓
Sheer mark	✓
Weight/bal 9.1kg	✓

Boom	
Band loc 2559mm	✓
Limiting pin	✓
Max length <2642mm	✓
Pole length <2642mm	✓

Bow	
Stem height 683-708	✓
Bow radius	✓

Topside Measurements			
Aft end of Trunk 2438-2461 from stem	✓	Length of daggerboard slot	✓
Top of trunk parallel to baseline	✓	Width of daggerboard slot	✓
Aft edge of trunk perpendicular to baseline	✓	Stem to mast partner >1494	✓
Keel to top of trunk 311-313	✓	Length of foredeck >1842	✓
Shroud fitting to stem 1778-1981	✓	Length of aft deck >457	✓
Mast step to sheer (vertical) 390-400	✓	Headstay to base 228-330	✓

Measurer NOBUHIKO KODAMA SCIRA MEASUREP JAPAN