

SNIFE CLASS RACING ASSOCIATION

MEASUREMENT DATA SHEET "I"

Revised November 2014


For boats built after January 1, 2015

HULL NUMBER	<u>31272</u>	BUILDER	<u>Tsujiido Koko</u>
MODEL		YEAR OF MANUFACTURE	<u>2015</u>
OWNER	<u>Keio University Yacht Club</u>	COUNTRY	<u>JAPAN</u>

BARE HULL	<input type="checkbox"/>	COMPLETE	<input checked="" type="checkbox"/>	INCOMPLETE	<input type="checkbox"/>
HULL MATERIAL: WOOD	<input type="checkbox"/>	FIBERGLASS	<input checked="" type="checkbox"/>	make note of	
DECK MATERIAL: WOOD	<input type="checkbox"/>	FIBERGLASS	<input checked="" type="checkbox"/>	incomplete items	

FROM CERTIFIED MODEL

HULL WEIGHT (min 125kg)	<input checked="" type="checkbox"/>	MAST LENGTH (649mm)	<input type="checkbox"/>
TOTAL WEIGHT (min 172.8kg)	<input checked="" type="checkbox"/>	Limiting bands & pin	<input checked="" type="checkbox"/>
BALANCE (max 15kg mark below)	<input checked="" type="checkbox"/>	BOOM LENGTH (264mm)	<input type="checkbox"/>
MOT	<input checked="" type="checkbox"/>	from aft mast	<input checked="" type="checkbox"/>
JIB FITTING	<input checked="" type="checkbox"/>	Limiting band & pin	<input type="checkbox"/>
(279-300mm hor. from point O)		POLE LENGTH (264mm)	<input checked="" type="checkbox"/>
max 45mm vert. from sheer)		RUDDER DIMENSIONS	<input checked="" type="checkbox"/>
SHROUDS (1778-1961 mm from point O)	<input checked="" type="checkbox"/>	Weight (2.72kg)	<input checked="" type="checkbox"/>
MAST HOLE (1494mm from point O)	<input checked="" type="checkbox"/>	Balls (max 250g)	<input checked="" type="checkbox"/>
UPPER GUDGEON (410 +/- 3mm)	<input checked="" type="checkbox"/>	Parallel to transom (tolerance 2mm)	<input checked="" type="checkbox"/>
LOWER GUDGEON (155 +/- 3mm)	<input checked="" type="checkbox"/>	DAGGERBOARD DIMENSIONS	<input checked="" type="checkbox"/>
GUDGEONS DIAMETER (8-8.5mm)	<input checked="" type="checkbox"/>	Band	<input checked="" type="checkbox"/>
		Restraining System	<input checked="" type="checkbox"/>



DATE MEASURED 1.20.2015 MEASURER'S STAMP

MEASURER'S NAME NDBUHIKO KODARA

NOTES:



SCIRA Measurement Check Sheet

To be used with the 80/20 true baseline measurement frame

Owner Kyushu University Yacht Club Date 1.20.2015
 Hull 31272 Builder Tsuyido Koko Material FRP

NEW MOULD: FIRST OR OF 5 CERTIFICATION RENEW Y/N

DO NOT COMPLETE IF FROM A CERTIFIED MOULD

Chine						
Station	Height			Width		
	Starboard	Port	Total	Allowable Range	Actual	Allowable Range
1				636-664		527-540
2			} ok	724-745	} ok	991-1003
3				673-699		732-1245
4				606-705		1273-1293
5				762-787		1157-1140
Transom				902-927		952-965

Sheer						
Station	Height			Width		
	Starboard	Port	Total	Allowable Range	Actual	Allowable Range
1				1489-1549		895-921
2			} ok	1381-1441	} ok	1346-1372
3				1333-1384		1511-1537
4				1321-1372		1473-1499
5				1321-1372		1270-1285
Transom				1384-1435		1022-1048

Keel				
Station	Height		Width	
	Actual	Allowable Range	Actual	Allowable Range
4(0)mm		223-273		
1		162	} ok	98-111
2		89-107		99-105
3		51-63		97-105
4		58-70		94-105
5		114		93-105
Transom		160-168	89-102	

Stem Offset		
up from baseline	90° from stem head	Actual
267	257-279	} ok
305	194-206	
337	153-165	
381	105-120	
457	54-66	
527	26-38	
331 to 387	Intersection of chine extension	

SNIPE CLASS RACING ASSOCIATION

Snipe Class International Racing Association

MEASUREMENT DATA SHEET 'I'

Miscellaneous					
Measurement	Actual	Allowable Range	Measurement	Actual	Allowable Range
Chine radius at st. 1		4711-4737	Chine radius at st. 1		Max 19
Horizontal transom offset		211-229	Chine radius at st. 2-Transom		Max 3
Stern height		692-708	Deck crown		Max 127
Bow radius		Max 23			

Topside Measurements					
Measurement	Actual	Allowable Range	Measurement	Actual	Allowable Range
Aft end of Trunk from stem		2438-2464	Mast step to sheer (vertical)		390-400
Top of trunk parallel to baseline			Mast partners		Max 256x75
Aft edge of bunk perpendicular to baseline			Length of foredeck		Max 1842
Keel to top of trunk		310-313	Length of aft deck		Min 457
Length of daggerboard slot		Max 546	Sheer moulding		Max 37
Width of daggerboard slot		Max 13	Sheer moulding radius		Max 12
Sprayboard		Min 51 x 610			

Measurer

NOBUHIKO KODARA

Stamp nr


 SCIRA
MEASUREP
JAPAN

計測証明書

登録番号 No. 31272

新規計測・再計測

- 1. 所有者 氏名 九州大学
住所
- 2. 建造者 氏名 辻堂加工
住所

上記は本協会登録計測証であることを証明する。


日本スナイプ協会

計測年月日 2015年 1月 20日

計測員

署名 山田 州子 ㊞

材質 鉛 重量 172.8 kg バラスト 12.2 kg



備考 MOI = 200 実測値 = 67.2秒
 スクリンゲ係数 = 14.7523 (25回 = 67.2秒)

新規計測と再計測のどちらかを消す。
再計測証明書は、新規計測書に重ねて綴る。

計測証明書の再発行 {移籍、紛失}

年 月 日 発行者氏名

㊞