

SNIPER CLASS RACING ASSOCIATION


MEASUREMENT DATA SHEET
 Sheet I- revised January 2009
 For boats built after January 1, 2009

HULL NUMBER 31288 BUILDER Proteam
 MODEL RTL 101-198-503 YEAR 2015
 OWNER ANDRES BONOMO COUNTRY ARG

BARE HULL COMPLETE from certified mould INCOMPLETE
 HULL MATERIAL: WOOD FIBERGLASS make note of
 DECK MATERIAL: WOOD FIBERGLASS incomplete items

HULL WEIGHT (MIN 125KG)	<input checked="" type="checkbox"/>	MAST LENGTH (6499MM)	<input checked="" type="checkbox"/>
TOTAL WEIGHT (±72.8KG)	<input checked="" type="checkbox"/>	Limiting bands & pin	<input checked="" type="checkbox"/>
BALLAST (MAX 15KG mark below)	<input checked="" type="checkbox"/>	BOOM LENGTH (2642MM from aft edge of mast)	<input checked="" type="checkbox"/>
MOI	<input checked="" type="checkbox"/>	Limiting bands	<input checked="" type="checkbox"/>
JIB FITTING (279-330 dist. from pt. 0)	<input checked="" type="checkbox"/>	POLE LENGTH (2642MM)	<input checked="" type="checkbox"/>
SHROUDS (1778-1981mm dist. from pt. 0)	<input checked="" type="checkbox"/>	RUDDER DIMENSIONS	<input checked="" type="checkbox"/>
UPPER GUDGEON (410+/-3MM)	<input checked="" type="checkbox"/>	RUDDER WEIGHT (2.72kg)	<input checked="" type="checkbox"/>
LOWER GUDGEON (155 +/-3MM)	<input checked="" type="checkbox"/>	Fits the Transom (Y/N)	<input checked="" type="checkbox"/>
MAST HOLE (149mm dist. from pt. 0)	<input checked="" type="checkbox"/>	CENTERBOARD DIMENSIONS	<input checked="" type="checkbox"/>
TRUNK HEIGHT (310 -0+3MM)	<input checked="" type="checkbox"/>	Band	<input checked="" type="checkbox"/>
		Restraining System & stoppers	<input checked="" type="checkbox"/>

Mark ballast here



DATE MEASURED 6-4-15
 MEASURER'S SIGNATURE [Signature]
 MEASURER'S STAMP ANDRES BONOMO

NOTES: center Alista ORBA
FIJAR transom Resinor 1kg Pops
 Both pages must be completed and sent to the SCTRA office upon completion of measurement except if hull is from a certified mould.

SCIRA Measurement Check Sheet

To be used with the 80/20 true baseline measurement frame

Owner: ANDRES BONOMO Date: 6-4-15

Hull # 31280 Builder: RIOTECNA Material: FIBER

RTG 101598509

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1	428	427	855	838-864	527	527-548
2	372	375	747	729-749	995	991-1003
3	341	341	682	673-699	1264	1232-1245
4	344	337	681	680-705	1275	1270-1283
5	389	378	767	762-787	1149	1137-1149
Transom	454	448	902	902-927	956	952-985

Sheer

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1	762	774	1536	1499-1543	907	895-921
2	720	729	1449	1391-1441	1361	1346-1372
3	682	683	1365	1333-1384	1517	1511-1537
4	672	664	1336	1321-1372	1473	1473-1499
5	683	672	1355	1321-1372	1281	1270-1285
Transom	698	688	1386	1384-1435		1022-1043

Keel

Station	Height	Width
403mm	0	0
1	0	0
2	0	0
3	0	0
4	0	0
5	0	0
Transom		

Rudder

Weight	2.72kg
Shape	0
Thickness	0
Lock	8
Keel Ext.	0

Daggerboard

Bottom	0
Shape	X
Thickness	0
Stripe	0
Punch mark	0
Tapers	0

Horizontal Transom Offset 203-229 207 LOA 4711-4737 4730

Weight 125.30 156.9 162.8 Ballast (lead) 15 MOI >27.6 27.6

Mast

Band loc	
Length <6499mm	
Limiting pin	
Sheer mark	
Weight/bal 9.1kg	

Boom

Band loc 2559mm	
Limiting pin	
Max Length <2642mm	
Pole length <2642mm	

Bow

Stem height 683-708	0
Bow radius	0

Topside Measurements

Aft end of Trunk 2436-2464 from stem	0	Length of daggerboard slot	0
Top of trunk parallel to baseline	0	Width of daggerboard slot	0
Aft edge of trunk perpendicular to baseline	0	Stem to mast partner >1494	0
Keel to top of trunk 310-313	311	Length of foredeck >1842	0
Shroud fitting to stem 1778-1981	0	Length of aft deck >457	0
Mast step to sheer (vertical) 390-400	0	Headstay to stem 279-330	0

Measurer: [Signature] BUESANDRO VIACAVA

SNIPE CLASS RACING ASSOCIATION


MEASUREMENT DATA SHEET Sheet I- revised January 2009 For boats built after January 1, 2009

HULL NUMBER 31282 BUILDER Protecna
 MODEL RTL 101 598 503 YEAR 2015
 OWNER ANDRES BONOMO COUNTRY ARG

BARE HULL
 HULL MATERIAL: WOOD COMPLETE from certified mould INCOMPLETE
 DECK MATERIAL: WOOD FIBERGLASS make note of
 FIBERGLASS incomplete items

HULL WEIGHT (MIN 125KG) <u>1253</u> <input checked="" type="checkbox"/> 0	MAST LENGTH (6499MM) <input checked="" type="checkbox"/> 0
TOTAL WEIGHT (172.8KG) <input checked="" type="checkbox"/> 0	Limiting bands & pin <input checked="" type="checkbox"/> 0
BALLAST (MAX 15KG mark below) <u>15</u> <input checked="" type="checkbox"/> 0	BOOM LENGTH (2642MM from aft edge of mast) <input checked="" type="checkbox"/> 0
MOI <u>24.6</u> <input checked="" type="checkbox"/> 0	Limiting bands <input checked="" type="checkbox"/> 0
JIB FITTING (279-330 dist. from pt 0) <input checked="" type="checkbox"/> 0	POLE LENGTH (2642MM) <input checked="" type="checkbox"/> 0
SHROUDS (1778-1981mm dist. from pt. 0) <input checked="" type="checkbox"/> 0	RUDDER DIMENSIONS <input checked="" type="checkbox"/> 0
UPPER GUDGEON (410+/-3MM) <input checked="" type="checkbox"/> 0	RUDDER WEIGHT (2.72kg) <input checked="" type="checkbox"/> 0
LOWER GUDGEON (155 +/-3MM) <input checked="" type="checkbox"/> 0	Fits the Transom (Y/N) <input type="checkbox"/> 0
MAST HOLE (1494mm dist. from pt. 0) <input checked="" type="checkbox"/> 0	CENTERBOARD DIMENSIONS <input checked="" type="checkbox"/> 0
TRUNK HEIGHT (310 -0+3MM) <input checked="" type="checkbox"/> 0	Band <input checked="" type="checkbox"/> 0
	Restraining System & stoppers <input checked="" type="checkbox"/> 0

Mark ballast here



DATE MEASURED 6-4-15

MEASURER'S SIGNATURE [Signature]

MEASURER'S STAMP ANDRES BONOMO VIACAVA

NOTES: color Alista ORCA OK
FIJAR Promos Resinor 14 Pops 9-12-15
Both pages must be completed and sent to the SCIRA office upon
completion of measurement except if hull is from a certified mould.

CEM COMPLETED 9-12-15 [Signature]

[Signature]
VIACAVA

SCIRA Measurement Check Sheet

To be used with the 80/20 true baseline measurement frame

Owner: ANDRES BONOMO

Date: 8-4-15

Hull # 31280

Builder: ROTECNA

Material: FIBER

Chines Height RTCL0159B.09

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1	420	427	852	838-864	827	527-540
2	372	375	747	724-749	995	991-1003
3	341	341	682	673-699	1234	1232-1245
4	344	337	681	680-705	1275	1270-1283
5	389	378	767	762-787	1149	1137-1149
Transom	454	442	902	902-927	956	952-965

Sheer

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1	762	774	1541	1499-1549	907	895-921
2	720	727	1441	1391-1441	1361	1346-1372
3	682	683	1365	1333-1384	1512	1511-1537
4	672	664	1336	1321-1372	1493	1473-1499
5	683	672	1355	1321-1372	1281	1270-1295
Transom	698	688	1386	1384-1435		1022-1048

Keel

	Height	Width
400mm	0	0
1	0	0
2	0	0
3	0	0
4	0	0
5	0	0
Transom		

Rudder

Weight	0
2.72kg	
Shape	0
Thickness	0
Lock	9
Keel Ext.	9

Daggerboard

Bottom	0
Shape	X 0
Thickness	0
Stripe	0
Punch mark	0
Tapers	0

Horizontal Transom Offset 203-229 207 LOA 4711-4737 4730

Weight 125,30 158,9 163,8

Ballast (lead) 15

MOI >27.6 27,6

Mast 9,1

Boom

Bow

Band loc	0
Length <6499mm	0
Limiting pin	0
Sheer mark	0
Weight/bal 9.1kg	0

Band loc 2559mm	0
Limiting pin	0
Max Length <2642mm	0
Pole length <2642mm	0

Stem height 683-708	0
Bow radius	0

Topside Measurements

Aft end of Trunk 2438-2464 from stem	0	Length of daggerboard slot	0
Top of trunk parallel to baseline	0	Width of daggerboard slot	0
Aft edge of trunk perpendicular to baseline	0	Stem to mast partner >1494	0
Keel to top of trunk 310-313 <u>312</u>	0	Length of foredeck >1842	0
Shroud fitting to stem 1778-1981	0	Length of aft deck >457	0
Mast step to sheer (vertical) 390-400	0	Headstay to stem 279-330	0

Measurer

[Signature] Complete 9-12-15 *[Signature]*
ALEJANDRO VIACAÑA