

SNIPE CLASS RACING ASSOCIATION

MEASUREMENT DATA SHEET '1'


Revised November 2014

For boats built after January 1, 2015

HULL NUMBER	31335	BUILDER	Tsujiido
MODEL		YEAR OF MANUFACTURE	2015
OWNER	Kyushu University	COUNTRY	Japan

BARE HULL		COMPLETE	<input checked="" type="checkbox"/>	INCOMPLETE	<input type="checkbox"/>
HULL MATERIAL: WOOD		FIBERGLASS	<input checked="" type="checkbox"/>	make note of	
DECK MATERIAL: WOOD		FIBERGLASS	<input checked="" type="checkbox"/>	incomplete items	
FROM CERTIFIED MOULD					

HULL WEIGHT (min 125kg)	OK	MAST LENGTH (6499mm)	OK
TOTAL WEIGHT (min 172.8kg)	172.8kg	Limiting bands & pin	OK
BALLAST (max 15kg mark below)	12.97kg	BOOM LENGTH (2642mm)	
MOI	OK	from aft mast	OK
HS FITTING	OK	Limiting band & pin	OK
(279-300mm hor. from point C)		POINT LENGTH (2642mm)	OK
(max 45mm vert. from sheer)		RUDDER DIMENSIONS	OK
SHROUDS (1773-1981mm from point C)	OK	Weight (2.72kg)	OK
MAST POINT (1494mm from point D)	OK	Ballast (max 250g)	OK
UPPER GUDGEON (410 +/-3mm)	OK	Parallel to transom (tolerance 2mm)	OK
LOWER GUDGEON (155 +/-3mm)	OK	DAGGERBOARD DIMENSIONS	OK
GUDGEONS DIAMETER (8-8.5mm)	OK	Band	OK
		Accounting System	OK



DATE MEASURED Dec 8, 2015 MEASURER'S STAMP

MEASURER'S NAME NABUHIKO KUDARA

NOTES:

J1

SCIRA
MEASUREP
JAPAN

SCIRA Measurement Check Sheet

To be used with the 80/20 true baseline measurement frame

Owner Kyushu University Yacht Club Date Oct. 27, 2015
 Hull 31935 Builder Tsujido Material FRP

NEW MOULD: FIRST OR OF 5 CERTIFICATION RENEW Y/N

DO NOT COMPLETE IF FROM A CERTIFIED MOULD

Chine						
Station	Height			Allowable Range	Width	
	Starboard	Port	Total		Actual	Allowable Range
1				836-864		527-540
2			OK	721-719	OK	891-1033
3				675-659		1232-1245
4				680-705		1270-1283
5				762-787		1137-1149
Transom				902-927		952-965

Sheer						
Station	Height			Allowable Range	Width	
	Starboard	Port	Total		Actual	Allowable Range
1				1495-1543		895-921
2			OK	1391-1441	OK	1346-1372
3				1331-1384		1511-1537
4				1321-1372		1473-1499
5				1323-1372		1270-1295
Transom				1384-1435		1022-1048

Keel				
Station	Height		Width	
	Actual	Allowable Range	Actual	Allowable Range
400mm		223-233		
1		167	OK	Min 51
2		89-101		88-111
3		51-63		99-108
4		58-70		99-108
5		114		99-108
Transom		165-168	99-103	

Stem Offset		
up from baseline	back from stem head	Actual
267	267-279	
305	194-206	OK
327	153-165	
391	108-120	
457	54-66	
527	26-38	
311 to 387	intersection of chine extension	

SNIPE CLASS RACING ASSOCIATION

J1 SCIRA
MEASUREP
JAPAN

Snipe Class International Racing Association

MEASUREMENT DATA SHEET "I"

Miscellaneous					
Measurement	Actual	Allowable Range	Measurement	Actual	Allowable Range
LOA		4711-4737	Chine radius at st. 1		Max 19
Horizontal transom offset		203-229	Chine radius at st. 2 Transom	OK	Max 3
Stem height	OK	663-708	Deck crown		Max 127
Bow radius		Max 15			

Topside Measurements					
Measurement	Actual	Allowable Range	Measurement	Actual	Allowable Range
Aft end of trunk from stem		2428-2464	Mast step to sheer (vertical)		390-400
Top of trunk parallel to baseline			Mast partners		Max 256x/8
Aft edge of trunk perpendicular to baseline			Length of foredeck	OK	Max 1842
Keel to top of trunk	OK	310-313	Length of aft deck		Min 457
Length of daggerboard slot		Max 546	Sheer moulding		Max 32
Width of daggerboard slot		Max 13	Sheer moulding radius		Max 12
Sprayboard		Min 51 x 610			

Measurer

NOBUHIKO KUDARAI

Stamp nr.

J1 SCIRA
MEASUREP
JAPAN

計測証明書

登録番号 No. 31335

新規計測・再計測

- 1. 所有者 氏名 九州大学
住所
- 2. 建造者 氏名 辻堂加工
住所

上記は本協会登録計測証であることを証明する。

日本スナイプ協会


計測年月日 2015年 12月 8日

計測員

署名 山田 州子

パラスト

材質 鋁 重量 172.8 kg パラスト 12.77 kg



備考 MOI=200 実測値=67.2秒
 スリッグ係数=14.7523 (25回=67.2秒)

新規計測と再計測のどちらかを消す。
再計測証明書は、新規計測書に重ねて綴る。

計測証明書の再発行 (移籍、紛失)

年 月 日 発行者氏名

