

SNIPE CLASS RACING ASSOCIATION




MEASUREMENT DATA SHEET Sheet I- revised March 2013 For boats built after January 1, 2009

HULL NUMBER BUILDER
 MODEL YEAR of MANUFACTURE
 OWNER COUNTRY

BARE HULL COMPLETE INCOMPLETE
 HULL MATERIAL: WOOD FIBERGLASS *make note of*
 DECK MATERIAL: WOOD FIBERGLASS *incomplete items*

From certified mould <input type="checkbox"/>	MAST LENGTH (6499MM) <input type="checkbox"/>
HULL WEIGHT (MIN 125KG) <input type="checkbox"/>	Limiting bands & pin <input type="checkbox"/>
TOTAL WEIGHT (172.8KG) <input type="checkbox"/>	BOOM LENGTH (2642MM from aft edge of mast) <input type="checkbox"/>
BALLAST (MAX 15KG mark below) <input type="checkbox"/>	Limiting bands <input type="checkbox"/>
MOI <input type="checkbox"/>	POLE LENGTH (2642MM) <input type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0) <input type="checkbox"/>	RUDDER DIMENSIONS <input type="checkbox"/>
SHROUDS (1778-1981mm dist. from pt. 0) <input type="checkbox"/>	RUDDER WEIGHT (2.72kg) <input type="checkbox"/>
UPPER GUDGEON (410+/-3MM) <input type="checkbox"/>	Fits the Transom (Y/N) <input type="checkbox"/>
LOWER GUDGEON (155 +/-3MM) <input type="checkbox"/>	Ballast <input type="checkbox"/>
MAST HOLE (1494mm dist. from pt. 0) <input type="checkbox"/>	CENTERBOARD DIMENSIONS <input type="checkbox"/>
WEIGHT <input type="text" value="172.8 kg"/>	TRUNK HEIGHT (310 -0+3MM) <input type="checkbox"/>
TOTAL BALLAST <input type="text" value="6.57 kg"/>	Band <input type="checkbox"/>
MOI <input type="text" value="28.63"/>	Restraining System & stoppers <input type="checkbox"/>

Mark ballast placement & amounts here



DATE MEASURED
 MEASURER'S SIGNATURE

MEASURER'S STAMP

NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

SCIRA Measurement Check Sheet

To be used with the 80/20 true baseline measurement frame

Owner: ERNESTO RODRIGUEZ/AUGIE DIAZ Date: 09/14/2016

Hull # 31337 Builder: DB MARINE Material: FG

Chines Height

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-749		991-1003
3				673-699		1232-1245
4				680-705		1270-1283
5				762-787		1137-1149
Transom				902-927		952-965

Sheer

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				1499-1549		895-921
2				1391-1441		346-1372
3				1333-1384		1511-1537
4				1321-1372		1473-1499
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Keel

	Height	Width
400mm		
1		
2		
3		
4		
5		
Transom		

Rudder

Weight	2.72kg	3.06
Shape		✓
Thickness		✓
Lock		✓
Keel Ext.		✓

Daggerboard

Bottom	✓
Shape	✓
Thickness	✓
Stripe	✓
Punch mark	✓
Tapers	✓

Horizontal Transom Offset 203-229 LOA 4711-4737

Weight 381 Ballast (lead) 14.526 MOI >27.6 28.63

Mast

Band loc	✓
Length <6499mm	✓
Limiting pin	✓
Sheer mark	✓
Weight/bal 9.1kg	9.42 ✓

Boom

Band loc 2559mm	
Limiting pin	
Max Length <2642mm	
Pole length <2642mm	

Bow

Stem height 683-708	
Bow radius	

Topside Measurements

Aft end of Trunk 2438-2464 from stem		Length of daggerboard slot	
Top of trunk parallel to baseline		Width of daggerboard slot	
Aft edge of trunk perpendicular to baseline		Stem to mast partner >1494	
Keel to top of trunk 310-313		Length of foredeck >1842	
Shroud fitting to stem 1778-1981		Length of aft deck >457	
Mast step to sheer (vertical) 390-400		Headstay to stem 279-330	

Measurer Amstar Cr. With

SNIPE CLASS RACING ASSOCIATION



MEASUREMENT DATA SHEET Sheet I- revised March 2013 For boats built after January 1, 2009

HULL NUMBER BUILDER
 MODEL YEAR of MANUFACTURE
 OWNER COUNTRY

BARE HULL COMPLETE INCOMPLETE
 HULL MATERIAL: WOOD FIBERGLASS *make note of*
 DECK MATERIAL: WOOD FIBERGLASS *incomplete items*

From certified mould	<input type="checkbox"/>	MAST LENGTH (6499MM)	<input type="checkbox"/>
HULL WEIGHT (MIN 125KG)	<input type="checkbox"/>	Limiting bands & pin	<input type="checkbox"/>
TOTAL WEIGHT (172.8KG)	<input type="checkbox"/>	BOOM LENGTH (2642MM from aft edge of mast)	<input type="checkbox"/>
BALLAST (MAX 15KG mark below)	<input type="checkbox"/>	Limiting bands	<input type="checkbox"/>
MOI	<input type="checkbox"/>	POLE LENGTH (2642MM)	<input type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0)	<input type="checkbox"/>	RUDDER DIMENSIONS	<input type="checkbox"/>
SHROUDS (1778-1981mm dist. from pt. 0)	<input type="checkbox"/>	RUDDER WEIGHT (2.72kg)	<input type="checkbox"/>
UPPER GUDGEON (410+/-3MM)	<input type="checkbox"/>	Fits the Transom (Y/N)	<input type="checkbox"/>
LOWER GUDGEON (155 +/-3MM)	<input type="checkbox"/>	Ballast	<input type="checkbox"/>
MAST HOLE (1494mm dist. from pt. 0)	<input type="checkbox"/>	CENTERBOARD DIMENSIONS	<input type="checkbox"/>
WEIGHT <input type="text" value="172.8 kg"/>		TRUNK HEIGHT (310 -0+3MM)	<input type="checkbox"/>
TOTAL BALLAST <input type="text" value="6.57 kg"/>		Band	<input type="checkbox"/>
MOI <input type="text" value="28.63"/>		Restraining System & stoppers	<input type="checkbox"/>

Mark ballast placement & amounts here



DATE MEASURED
 MEASURER'S SIGNATURE

MEASURER'S STAMP

NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

SCIRA Measurement Check Sheet

To be used with the 80/20 true baseline measurement frame

Owner: ERNESTO RODRIGUEZ Date: 09/14/2016

Hull # 31337 Builder: DB MARINE Material: FG

Chines Height

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-749		991-1003
3				673-699		1232-1245
4				680-705		1270-1283
5				762-787		1137-1149
Transom				902-927		952-965

Sheer

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				1499-1549		895-921
2				1391-1441		346-1372
3				1333-1384		1511-1537
4				1321-1372		1473-1499
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Keel

	Height	Width
400mm		
1		
2		
3		
4		
5		
Transom		

Rudder

Weight	2.72kg	3.06
Shape		✓
Thickness		✓
Lock		✓
Keel Ext.		✓

Daggerboard

Bottom	✓
Shape	✓
Thickness	✓
Stripe	✓
Punch mark	✓
Tapers	✓

Horizontal Transom Offset 203-229 LOA 4711-4737

Weight 381 Ballast (lead) 14.526 MOI >27.6 28.63

Mast

Band loc	✓
Length <6499mm	✓
Limiting pin	✓
Sheer mark	✓
Weight/bal 9.1kg	9.42 ✓

Boom

Band loc 2559mm	
Limiting pin	
Max Length <2642mm	
Pole length <2642mm	

Bow

Stem height 683-708	
Bow radius	

Topside Measurements

Aft end of Trunk 2438-2464 from stem		Length of daggerboard slot	
Top of trunk parallel to baseline		Width of daggerboard slot	
Aft edge of trunk perpendicular to baseline		Stem to mast partner >1494	
Keel to top of trunk 310-313		Length of foredeck >1842	
Shroud fitting to stem 1778-1981		Length of aft deck >457	
Mast step to sheer (vertical) 390-400		Headstay to stem 279-330	

Measurer Amstar Cr. With

SCIRA Measurement Check Sheet

To be used with the 80/20 true baseline measurement frame

Owner: ERNESTO RODRIGUEZ Date: 09/14/2016

Hull # 31337 Builder: DB MARINE Material: FG

Chines Height

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-749		991-1003
3				673-699		1232-1245
4				680-705		1270-1283
5				762-787		1137-1149
Transom				902-927		952-965

Sheer

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				1499-1549		895-921
2				1391-1441		346-1372
3				1333-1384		1511-1537
4				1321-1372		1473-1499
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Keel

	Height	Width
400mm		
1		
2		
3		
4		
5		
Transom		

Rudder

Weight	2.72kg	3.06
Shape		✓
Thickness		✓
Lock		✓
Keel Ext.		✓

Daggerboard

Bottom	✓
Shape	✓
Thickness	✓
Stripe	✓
Punch mark	✓
Tapers	✓

Horizontal Transom Offset 203-229 LOA 4711-4737

Weight 381 Ballast (lead) 11.5 lbs AS MOI > 27.6 28.63

Mast Boom 4/1/23 Bow

Band loc	✓
Length <6499mm	✓
Limiting pin	✓
Sheer mark	✓
Weight/bal 9.1kg	9.42 ✓

Band loc 2559mm	
Limiting pin	
Max Length <2642mm	
Pole length <2642mm	

Stem height 683-708	
Bow radius	

Topside Measurements

Aft end of Trunk 2438-2464 from stem		Length of daggerboard slot	
Top of trunk parallel to baseline		Width of daggerboard slot	
Aft edge of trunk perpendicular to baseline		Stem to mast partner >1494	
Keel to top of trunk 310-313		Length of foredeck >1842	
Shroud fitting to stem 1778-1981		Length of aft deck >457	
Mast step to sheer (vertical) 390-400		Headstay to stem 279-330	

Measurer Samuel C. White 4/1/23