

SNIPE CLASS RACING ASSOCIATION


MEASUREMENT DATA SHEET Sheet 1- revised January 2009 For boats built after January 1, 2009

HULL NUMBER 31357 BUILDER JIBETECH
MODEL JT Mk II YEAR 2016
OWNER ERIC RINKER COUNTRY USA

BARE HULL COMPLETE from certified mould INCOMPLETE
HULL MATERIAL: WOOD FIBERGLASS *make note of*
DECK MATERIAL: WOOD FIBERGLASS *incomplete items*

HULL WEIGHT (MIN 125KG)	<input checked="" type="checkbox"/>	MAST LENGTH (6499MM)	<input type="checkbox"/>
TOTAL WEIGHT (172.8KG)	<input checked="" type="checkbox"/>	Limiting bands & pin	<input type="checkbox"/>
BALLAST (MAX 15KG mark below)	<input type="checkbox"/>	BOOM LENGTH (2642MM from aft edge of mast)	<input type="checkbox"/>
MOI	<input checked="" type="checkbox"/>	Limiting bands	<input type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0)	<input type="checkbox"/>	POLE LENGTH (2642MM)	<input checked="" type="checkbox"/>
SHROUDS (1778-1981mm dist. from pt. 0)	<input type="checkbox"/>	RUDDER DIMENSIONS	<input type="checkbox"/>
UPPER GUDGEON (410+/-3MM)	<input checked="" type="checkbox"/>	RUDDER WEIGHT (2.72kg)	<input type="checkbox"/>
LOWER GUDGEON (155 +/-3MM)	<input type="checkbox"/>	Fits the Transom (Y/N)	<input checked="" type="checkbox"/>
MAST HOLE (1494mm dist. from pt. 0)	<input checked="" type="checkbox"/>	CENTERBOARD DIMENSIONS	<input type="checkbox"/>
TRUNK HEIGHT (310 -0+3MM)	<input checked="" type="checkbox"/>	Band	<input type="checkbox"/>
		Restraining System & stoppers	<input checked="" type="checkbox"/>

Mark ballast here



DATE MEASURED 3/9/16
MEASURER'S SIGNATURE [Signature]
MEASURER'S STAMP _____

NOTES:

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

SCIRA Measurement Check Sheet

To be used with the 80/20 true baseline measurement frame

Owner: _____ Date: 3/8/10

Hull # _____ Builder: _____ Material: _____

Chines Height

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1	700	700	1400	838-864	-	527-540
2	720	720	1440	724-749	720	991-1003
3	740	740	1480	673-699	1235	1232-1245
4	760	760	1520	680-705	1235	1270-1283
5	780	780	1560	762-787	1100	1137-1149
Transom	800	800	1600	902-927	765	952-965

Sheer

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1	1499	1499	1500	1499-1549	905	895-921
2	1391	1391	1392	1391-1441	1350	346-1372
3	1333	1333	1334	1333-1384	1530	1511-1537
4	1321	1321	1322	1321-1372	1495	1473-1499
5	1321	1321	1322	1321-1372	1292	1270-1295
Transom	1384	1384	1385	1384-1435	1040	1022-1048

Keel

	Height	Width
400mm		
1		
2		
3		
4		
5		
Transom		

Rudder

Weight	2.72kg
Shape	
Thickness	
Lock	
Keel Ext.	

Daggerboard

Bottom	
Shape	
Thickness	
Stripe	
Punch mark	
Tapers	

Horizontal Transom Offset 203-229 ✓ LOA 4711-4737

Weight _____ Ballast (lead) 5 lbs ✓ MOI > 27.6 28.6

Mast _____ Boom _____ Bow _____

Band loc	
Length < 6499mm	
Limiting pin	
Sheer mark	
Weight/bal 9.1kg	

Band loc 2559mm	
Limiting pin	
Max Length < 2642mm	
Pole length < 2642mm	

Stem height 683-708	✓
Bow radius	

Topside Measurements

Aft end of Trunk 2438-2464 from stem	✓	Length of daggerboard slot	✓
Top of trunk parallel to baseline	✓	Width of daggerboard slot	
Aft edge of trunk perpendicular to baseline		Stem to mast partner > 1494	
Keel to top of trunk 310-313		Length of foredeck > 1842	
Shroud fitting to stem 1778-1981		Length of aft deck > 457	
Mast step to sheer (vertical) 390-400		Headstay to stem 279-330	

Measurer _____