

SNIFE CLASS RACING ASSOCIATION

MEASUREMENT DATA SHEET

Revised January 2017

For boats built or modified after January 1, 2017

HULL NUMBER	31470	BUILDER	ZELTIC
MODEL	ZELTIC	YEAR OF MANUFACTURE	2017
OWNER	ANTONIO VEIGAS	COUNTRY	POR


BARE HULL	<input type="checkbox"/>	COMPLETE	<input type="checkbox"/>	INCOMPLETE	<input checked="" type="checkbox"/>
HULL MATERIAL: WOOD	<input type="checkbox"/>	FIBERGLASS	<input checked="" type="checkbox"/>	make note of	
DECK MATERIAL: WOOD	<input type="checkbox"/>	FIBERGLASS	<input checked="" type="checkbox"/>	incomplete items	
FROM CERTIFIED MOULD	<input checked="" type="checkbox"/>				

HULL WEIGHT (min 125kg)	N/A	MAST LENGTH (max 6499mm)	N/A
TOTAL WEIGHT (min 172.8kg)	N/A	Limiting marks & pin	N/A
CORRECTOR WEIGHTS (max 15kg)	N/A	Corrector weights (max 100gr)	N/A
MOI	N/A	BOOM LENGTH (max 2642mm)	N/A
Spring #	N/A	Limiting marks & pin	N/A
JIB FITTING	279	POLE LENGTH (max 2642mm)	N/A
(279-300mm hor. From Hull Datum Point)		RUDDER DIMENSIONS	N/A
max 45mm vert. above sheerline)		Weight (min. 2.72kg)	N/A
SHROUDS (1778-1981mm from HDP)	1278	Corrector weight (max 250g)	N/A
MAST HOLE (min 1494-mm from HDP)	1494	Parallel to transom (tolerance 2mm)	N/A
UPPER GUDGEON (410 +/-3mm)	412	DAGGERBOARD DIMENSIONS	N/A
LOWER GUDGEON (155 +/-3mm)	158	Band	N/A
GUDGEONS DIAMETER (8-8,5mm)	8.1	Safety line (max 600mm long)	N/A
		Restraining system	N/A

Needs 14mm plate →

Insert the actual measurement in the cells marked as

Mark ballast position and amount below



DATE MEASURED 18th Dec 2017 MEASURER'S STAMP

MEASURER'S NAME Fernando Tajuelo



NOTES:

Hull without fittings Snipe Class International Racing Association
 (assembled hull with jib and shroud attachments, mast step, gudgeon and barker)

SNIPE CLASS RACING ASSOCIATION

MEASUREMENT DATA SHEET Sheet I- revised January 2009 For boats built after January 1, 2009

HULL NUMBER.....31470..... BUILDER.....ZELTIC..... SEITA V.....


MODEL.....ZELTIC..... YEAR.....2017.....

OWNER.....António Viegas..... COUNTRY.....PORTUGAL.....

BARE HULL COMPLETE from certified mould INCOMPLETE
HULL MATERIAL: WOOD FIBERGLASS *make note of*
DECK MATERIAL: WOOD FIBERGLASS *incomplete items*

HULL WEIGHT (MIN 125KG)	<input checked="" type="checkbox"/>	MAST LENGTH (6499MM)	<input checked="" type="checkbox"/>
TOTAL WEIGHT (172.8KG)	<input checked="" type="checkbox"/>	Limiting bands & pin	<input checked="" type="checkbox"/>
BALLAST (MAX 15KG mark below)	<input checked="" type="checkbox"/>	BOOM LENGTH (2642MM from aft edge of mast)	<input checked="" type="checkbox"/>
MOI	<input checked="" type="checkbox"/>	Limiting bands	<input checked="" type="checkbox"/>
JIB FITTING (279-330 dist. from pt 0)	<input checked="" type="checkbox"/>	POLE LENGTH (2642MM)	<input checked="" type="checkbox"/>
SHROUDS (1778-1981mm dist. from pt. 0)	<input checked="" type="checkbox"/>	RUDDER DIMENSIONS	<input checked="" type="checkbox"/>
UPPER GUDGEON (410+/-3MM)	<input checked="" type="checkbox"/>	RUDDER WEIGHT (2.72kg)	<input checked="" type="checkbox"/>
LOWER GUDGEON (155 +/-3MM)	<input checked="" type="checkbox"/>	Fits the Transom (Y/N)	<input type="checkbox"/>
MAST HOLE (1494mm dist. from pt. 0)	<input checked="" type="checkbox"/>	CENTERBOARD DIMENSIONS	<input checked="" type="checkbox"/>
TRUNK HEIGHT (310 -0+3MM)	<input checked="" type="checkbox"/>	Band	<input checked="" type="checkbox"/>
		Restraining System & stoppers	<input checked="" type="checkbox"/>

Mark ballast here



DATE MEASURED.....18/12/2017-26/01/2018 - 17/07/2019 (Esp) (Por) (Por).....

MEASURER'S SIGNATURE.....Domingos Borralho.....

MEASURER'S STAMP.....

01 SCIRA
MEASURER
PORTUGAL

NOTES: NATIONAL SECRETARY: Pedro Andrade.....

Both pages must be completed and sent to the SCIRA office upon completion of measurement except if hull is from a certified mould.

SCIRA Measurement Check Sheet

To be used with the 80/20 true baseline measurement frame

Owner: António Viegas Date: 17/07/2019

Hull # 31470 Builder: ZELTIC Material: F.G

Chines Height

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				838-864		527-540
2				724-749		991-1003
3				673-699		1232-1245
4				680-705		1270-1283
5				762-787		1137-1149
Transom				902-927		952-965

Sheer

Station	Starboard	Port	Total	Allowable Range	Width	Allowable Range
1				1499-1549		895-921
2				1391-1441		346-1372
3				1333-1384		1511-1537
4				1321-1372		1473-1499
5				1321-1372		1270-1295
Transom				1384-1435		1022-1048

Keel

	Height	Width
400mm		
1		
2		
3		
4		
5		
Transom		

Rudder

Weight	2.950 kg
2.72kg	
Shape	x
Thickness	x
Lock	x
Keel Ext.	x

Daggerboard

Bottom	x
Shape	x
Thickness	x
Stripe	x
Punch mark	x
Tapers	x

Horizontal Transom Offset 203-229 LOA 4711-4737

Weight 172.900 kg Ballast (lead) 2.385 kg MOI >27.6 27.6

Mast

Band loc	x
Length <6499mm	x
Limiting pin	x
Sheer mark	x
Weight/bal 9.1kg	9.6 kg

Boom

Band loc 2559mm	x
Limiting pin	x
Max Length <2642mm	x
Pole length <2642mm	x

Bow

Stem height 683-708	
Bow radius	

Topside Measurements

Aft end of Trunk 2438-2464 from stem	x	Length of daggerboard slot	x
Top of trunk parallel to baseline	x	Width of daggerboard slot	x
Aft edge of trunk perpendicular to baseline	x	Stem to mast partner >1494	x
Keel to top of trunk 310-313	x	Length of foredeck >1842	x
Shroud fitting to stem 1778-1981	x	Length of aft deck >457	x
Mast step to sheer (vertical) 390-400	x	Headstay to stem 279-330	x

Measurer Domingos Borralho

MEASURER
PORTUGAL