

SNIFE CLASS RACING ASSOCIATION

MEASUREMENT DATA SHEET FOR CERTIFIED BOATS

Revised February 2019

This page to be used for all boats. For measurements in *Italic* refer to the Class Rules


| | | | |
|-------------|-----------------|---------------------|-----------------------------|
| HULL NUMBER | <u>31672</u> | BUILDER | <u>Persson Marine Japan</u> |
| MODEL | <u>KINJAI</u> | YEAR OF MANUFACTURE | <u>2020</u> |
| OWNER | <u>Tokyo To</u> | COUNTRY | <u>Japan</u> |

| | | | | | |
|----------------------|--------------------------|------------|-------------------------------------|----------------------------------|--------------------------|
| BARE HULL | <input type="checkbox"/> | COMPLETE | <input checked="" type="checkbox"/> | INCOMPLETE | <input type="checkbox"/> |
| HULL MATERIAL: WOOD | <input type="checkbox"/> | FIBERGLASS | <input checked="" type="checkbox"/> | make note of | |
| DECK MATERIAL: WOOD | <input type="checkbox"/> | FIBERGLASS | <input checked="" type="checkbox"/> | incomplete items | |
| | | | | filling the cells with NO | |
| FROM CERTIFIED MOULD | <input type="checkbox"/> | | | | |

| | | | |
|----------------------------------------|---------------|--------------------------------------|-------------------------------------|
| HULL WEIGHT (min 125kg) | <u>125.22</u> | MAST LENGTH (Rules C.9.2, F.3.4) | <u>6496</u> 9.36 |
| TOTAL WEIGHT (min 172.8kg) | <u>172.8</u> | Limiting marks & pin | <input checked="" type="checkbox"/> |
| CORRECTOR WEIGHTS (max 15kg) | <u>10.77</u> | Corrector weights (max 100gr) | <u>0</u> |
| MOI | <u>291</u> | BOOM LENGTH (max 2642mm) | <u>2598</u> |
| Spring set # | <u>90</u> | Limiting marks & pin | <input checked="" type="checkbox"/> |
| JIB FITTING | <u>282</u> | POLE LENGTH (max 2642mm) | <u>2635</u> |
| (279-330mm hor. From Hull Datum Point) | | RUDDER DIMENSIONS | <input checked="" type="checkbox"/> |
| max 45mm vert. above sheerline) | | Weight (min. 2.72kg) | <u>2.74</u> |
| SHROUDS (1778-1981mm from HDP) | <u>119.5</u> | Corrector weights (Rule C.8.5) | <u>0</u> |
| MAST HOLE (min 1494-mm from HDP) | <u>145.1</u> | Parallel to transom (tolerance 2mm) | <input checked="" type="checkbox"/> |
| UPPER GUDGEON (Rule D.2.3) | <u>4.10</u> | DAGGERBOARD DIMENSIONS | <input checked="" type="checkbox"/> |
| LOWER GUDGEON (Rule D.2.3) | <u>1.55</u> | Band | <input checked="" type="checkbox"/> |
| GUDGEONS DIAMETER (Rule D.2.3) | <u>8</u> | Safety line (max 610mm long) | <input checked="" type="checkbox"/> |
| | | Restraining system (hooks or tablet) | <input checked="" type="checkbox"/> |

Insert the **actual** measurement in the cells marked as

Mark corrector weights position and amount below. Data to be copied on the Official Snipe Label



MAST: Sidewinder
 BOOM: Factory Zero



DATE MEASURED 17 Sep - 2020 MEASURER'S STAMP

04 SCIRA
 MEASURER
 JAPAN

MEASURER'S NAME Kuniko Yamada

NOTES: