

SCIRA MEASUREMENT DATA SHEET

Las medidas de rango están referidas al PLANO BASE REAL de la L 80/20

Owner: AGUSTIN ZABALUA		Date: 25/10/2021	
Hull: 31742	Builder: ZELTIC	Material: GPR	

Medido por: Jose Pérez Morales

Hull weight / Peso casco (min 125kg)	---
Total weight / Peso total (min 172.8kg)	172.8
Corrector weight / Lastre (max 15 kg)	1.5
MOI / Momento de inercia (max 271 kgm2)	271
Spring set / Muelles Nº	124

Chine / Pantoque

Station / Estación	Height / altura			Width / ancho	
	Starboard / Estribor	Port / Babor	Valor medio	Allowable range / Rango	Actual / medido
1				280-292	
2				223/235	
3				197-209	
4				200-212	
5				242-254	
Transom / Espejo popa				312-324	

Sheer / Cinton

Station / Estación	Height / altura			Width / ancho	
	Starboard / Estribor	Port / Babor	Valor Medio	Allowable range / Rango	Actual / medido
1				610-635	
2				556-581	
3				528-553	
4				521-546	
5				521-546	
Transom / Espejo popa				553-578	

Keel / Quilla

Station / Estación	Height / altura		Width / ancho	
	Actual / medido	Allowable range / Rango	Actual / medido	Allowable range / Rango
400		223-235		NA
1		162		min 51
2		89-101		99-105
3		51-63		99-105
4		58-70		99-105
5		114		99-105
Transom / Espejo popa		166-178		99-105

31742

Date:

Stem Offset / Perfil proa		
up from baseline (altura)	back from HDP / horiz. Desde proa	Actual /medido
267	267-279	
305	194-206	
337	153-165	
381	108-120	
457	54-66	
527	26-38	

Miscellaneous / Varios					
Measurement /Medida	Actual /medido	Allowable range / Rango	Measurement /Medida	Actual /medido	Allowable range / rango
LOA / Elora total		4711-4737	Chine radius at st.1 / radio en E.1		19
Horizontal transo offset /retranqueo espejo popa en quilla		203-229	Chine radius at st.2 / radio en E.2		3
Hull Datum Point height/Altura Punto Origen		683-708	Deck height /Altura cubierta		Max 127
Bow radius/ Radio proa		Max 25	Cockpit width / ancho bañera		Max 1016

Topside Measurement / Cubierta					
Measurement /Medida	Actual /medido	Allowable range / Rango	Measurement /Medida	Actual /medido	Allowable range / Rango
Aft end of dagg. Slot from hull datum point /Borde post. orza a		2438-2464	Heel point to sheer (vertical) Altura pie mastil a cinton	394	390-400
Top case parallel to baseline / paralelismo caja orza a plano base		tolerance 2	Mast hole in deck / Agujero mastil cubierta		Max 256 x76
Aft edge of slot perpend. to baseline / Perp. Popa cajera a		tolerance 2	Length of foredeck / Longitud cubierta proa		Min 1842
Forward edge of slot perpend. to baseline / Idem proa		tolerance 6	Length of aftdeck / longitud cubierta popa		Min 457
Keel to top of daggerboardcase / altura cajera	312	310-313	Sheer strikes		Max 32
Length of daggerboard slot /Longitud cajera		Max 546	Gunwalwe radius		Max 12
Width of daggerboard slot / ancho cajera		Max 13	Splashboard / tajamar		Min51x610

Cartagena 25 de OCTUBRE 2021
El Medidor Jose Pérez Morales



SNIFE CLASS RACING ASSOCIATION

MEASUREMENT DATA SHEET FOR CERTIFIED BOATS

Revised February 2019

This page to be used for all boats. For measurements in *Italic* refer to the Class Rules


HULL NUMBER	311742	BUILDER	Persson Marine Japan
MODEL	NINJA2	YEAR OF MANUFACTURE	2021
OWNER	MARUTAMA <i>Transportation Corporation</i>	COUNTRY	Japan

BARE HULL	<input type="checkbox"/>	COMPLETE	<input checked="" type="checkbox"/>	INCOMPLETE	<input type="checkbox"/>
HULL MATERIAL: WOOD	<input type="checkbox"/>	FIBERGLASS	<input checked="" type="checkbox"/>	make note of	
DECK MATERIAL: WOOD	<input type="checkbox"/>	FIBERGLASS	<input checked="" type="checkbox"/>	incomplete items	
				filling the cells with NO	
FROM CERTIFIED MOULD	<input type="checkbox"/>				

HULL WEIGHT (min 125kg)	125.75	MAST LENGTH (Rules C.9.2, F.3.4)	6498
TOTAL WEIGHT (min 172.8kg)	172.8	Limiting marks & pin	<input checked="" type="checkbox"/>
CORRECTOR WEIGHTS (max 15kg)	9.63	Corrector weights (max 100gr)	0
MOI	280	BOOM LENGTH (max 2642mm)	2638
Spring set #	# 90	Limiting marks & pin	<input checked="" type="checkbox"/>
JIB FITTING	281	POLE LENGTH (max 2642mm)	2640
(279-330mm hor. From Hull Datum Point)		RUDDER DIMENSIONS	<input checked="" type="checkbox"/>
max 45mm vert. above sheerline)		Weight (min. 2.72kg)	2.73
SHROUDS (1778-1981mm from HDP)	1788	Corrector weights (Rule C.8.5)	0
MAST HOLE (min 1494-mm from HDP)	1494	Parallel to transom (tolerance 2mm)	<input checked="" type="checkbox"/>
UPPER GUDGEON (Rule D.2.3)	410	DAGGERBOARD DIMENSIONS	<input checked="" type="checkbox"/>
LOWER GUDGEON (Rule D.2.3)	155	Band	<input checked="" type="checkbox"/>
GUDGEONS DIAMETER (Rule D.2.3)	8	Safety line (max 610mm long)	<input checked="" type="checkbox"/>
		Restraining system (hooks or tablet)	<input checked="" type="checkbox"/>

Insert the **actual** measurement in the cells marked as

Mark corrector weights position and amount below. Data to be copied on the Official Snipe Label



MAST: Factory zero
 BOOM: Factory zero

DATE MEASURED 26-NOV-2021 MEASURER'S STAMP

MEASURER'S NAME Kuniko Yamada
 NOTES:

04 SCIRA
 MEASURER
 JAPAN