

# SNIFE CLASS RACING ASSOCIATION

## MEASUREMENT DATA SHEET FOR CERTIFIED BOATS

Revised February 2019

This page to be used for all boats. *For measurements in Italic refer to the Class Rules*


|             |                  |                     |               |
|-------------|------------------|---------------------|---------------|
| HULL NUMBER | 31816            | BUILDER             | DB MARINE SAS |
| MODEL       | DB-R1            | YEAR OF MANUFACTURE | 2022          |
| OWNER       | JORDI TRIAY PONS | COUNTRY             | SPAIN         |

|                      |                                     |            |                                     |                                  |                          |
|----------------------|-------------------------------------|------------|-------------------------------------|----------------------------------|--------------------------|
| BARE HULL            | <input checked="" type="checkbox"/> | COMPLETE   | <input type="checkbox"/>            | INCOMPLETE                       | <input type="checkbox"/> |
| HULL MATERIAL: WOOD  | <input type="checkbox"/>            | FIBERGLASS | <input checked="" type="checkbox"/> | make note of                     |                          |
| DECK MATERIAL: WOOD  | <input type="checkbox"/>            | FIBERGLASS | <input checked="" type="checkbox"/> | incomplete items                 |                          |
| FROM CERTIFIED MOULD | <input checked="" type="checkbox"/> |            |                                     | filling the cells with <b>NO</b> |                          |

|  |        |                                      |                                     |
|--|--------|--------------------------------------|-------------------------------------|
| HULL WEIGHT (min 125kg)                | 128,70 | MAST LENGTH (Rules C.9.2, F.3.4)     | <input type="checkbox"/>            |
| TOTAL WEIGHT (min 172.8kg)             |        | Limiting marks & pin                 | <input type="checkbox"/>            |
| CORRECTOR WEIGHTS (max 15kg)           |        | Corrector weights (max 100gr)        | <input type="checkbox"/>            |
| MOI                                    |        | BOOM LENGTH (max 2642mm)             | <input type="checkbox"/>            |
| Spring set #                           |        | Limiting marks & pin                 | <input type="checkbox"/>            |
| JIB FITTING                            | 281    | POLE LENGTH (max 2642mm)             | <input type="checkbox"/>            |
| (279-300mm hor. From Hull Datum Point) |        | RUDDER DIMENSIONS                    | <input checked="" type="checkbox"/> |
| max 45mm vert. above sheerline)        |        | Weight (min. 2.72kg)                 | 3,0                                 |
| SHROUDS (1778-1981mm from HDP)         | 1780   | Corrector weights (Rule C.8.5)       | NO                                  |
| +10 MAST HOLE (min 1494-mm from HDP)   | 1494   | Parallel to transom (tolerance 2mm)  | <input type="checkbox"/>            |
| UPPER GUDGEON (Rule D.2.3)             | 460    | DAGGERBOARD DIMENSIONS               | <input type="checkbox"/>            |
| LOWER GUDGEON (Rule D.2.3)             | 155    | Band                                 | <input type="checkbox"/>            |
| GUDGEONS DIAMETER (Rule D.2.3)         | 8      | Safety line (max 610mm long)         | <input type="checkbox"/>            |
|  |        | Restraining system (hooks or tablet) | <input type="checkbox"/>            |

Insert the **actual** measurement in the cells marked as

Mark corrector weights position and amount below. Data to be copied on the Official Snipe Label



DATE MEASURED 30/11/2022

MEASURER'S STAMP

MEASURER'S NAME STEFANO LONGHI

NOTES:

**04** SCIRA  
MEASURER  
ITALY

### SCIRA Measurement Data Sheet

To be used with the 80/20 true baseline measurement frame

For boats built from January 1st, 2018. For older boats use the MDS in force in the year of manufacturing

Owner JORDI TRIAY PONS Date 30.11.2022

Hull 31816 Builder DB MARINE SAS Material FIBERGLASS

NEW MOULD: FIRST  OR  OF 5 CERTIFICATION RENEW  Y/N

DO NOT COMPLETE IF FROM A CERTIFIED MOULD

| Chine   |           |      |       |                 |        |                 |
|---------|-----------|------|-------|-----------------|--------|-----------------|
| Station | Height    |      |       | Width           |        |                 |
|         | Starboard | Port | Total | Allowable Range | Actual | Allowable Range |
| 1       |           |      |       | 838-864         |        | 527-540         |
| 2       |           |      |       | 724-749         |        | 991-1003        |
| 3       |           |      |       | 673-699         |        | 1232-1245       |
| 4       |           |      |       | 680-705         |        | 1270-1283       |
| 5       |           |      |       | 762-787         |        | 1137-1149       |
| Transom |           |      |       | 902-927         |        | 952-965         |

| Sheer   |           |      |       |                 |        |                 |
|---------|-----------|------|-------|-----------------|--------|-----------------|
| Station | Height    |      |       | Width           |        |                 |
|         | Starboard | Port | Total | Allowable Range | Actual | Allowable Range |
| 1       |           |      |       | 1499-1549       |        | 895-921         |
| 2       |           |      |       | 1391-1441       |        | 1346-1372       |
| 3       |           |      |       | 1333-1384       |        | 1511-1537       |
| 4       |           |      |       | 1321-1372       |        | 1473-1499       |
| 5       |           |      |       | 1321-1372       |        | 1270-1295       |
| Transom |           |      |       | 1384-1435       |        | 1022-1048       |

04 SCIRA MEASURER ITALY

Snipe Class International Racing Association

MEASURER: STEFANO LONGHI

| Keel    |        |                 |        |                 |
|---------|--------|-----------------|--------|-----------------|
| Station | Height |                 | Width  |                 |
|         | Actual | Allowable Range | Actual | Allowable Range |
| 400mm   |        | 223-235         |        |                 |
| 1       |        | 162             |        | Min 51          |
| 2       |        | 89-101          |        | 99-105          |
| 3       |        | 51-63           |        | 99-105          |
| 4       |        | 58-70           |        | 99-105          |
| 5       |        | 114             |        | 99-105          |
| Transom |        | 166-168         |        | 99-105          |

| Stem Offset      |                                 |        |
|------------------|---------------------------------|--------|
| up from baseline | back from HDP                   | Actual |
| 267              | 267-279                         |        |
| 305              | 194-206                         |        |
| 337              | 153-165                         |        |
| 381              | 108-120                         |        |
| 457              | 54-66                           |        |
| 527              | 26-38                           |        |
| 311 to 387       | intersection of chine extension |        |

| Miscellaneous             |        |                 |                               |        |                 |
|---------------------------|--------|-----------------|-------------------------------|--------|-----------------|
| Measurement               | Actual | Allowable Range | Measurement                   | Actual | Allowable Range |
| LOA                       |        | 4711-4737       | Chine radius at st. 1         |        | Max 19          |
| Horizontal transom offset |        | 203-229         | Chine radius st. 2 to transom |        | Max 3           |
| Hull Datum Point height   |        | 683-708         | Deck height                   |        | Max 127         |
| Bow radius                |        | Max 25          |                               |        |                 |

| Topside Measurements                           |        |                 |                               |        |                 |
|--|--------|-----------------|-------------------------------|--------|-----------------|
| Measurement                                    | Actual | Allowable Range | Measurement                   | Actual | Allowable Range |
| Aft end of dagg. slot from Hull datum point    |        | 2438-2464       | Mast step to sheer (vertical) | 396    | 390-400         |
| Top of case parallel to baseline               |        | tolerance 2     | Mast hole in the deck         | 170x60 | Max 256x76      |
| Aft edge of slot perpendicular to baseline     |        | tolerance 2     | Length of foredeck            | ✓      | Min 1842        |
| Forward edge of slot perpendicular to baseline |        | tolerance 6     | Length of aft deck            | ✓      | Min 457         |
| Keel to top of daggerboard case                | 312    | 310-313         | Sheer strikes                 | ✓      | Max 32          |
| Length of daggerboard slot                     | 525    | Max 546         | Gunwale radius                | ✓      | Max 12          |
| Width of daggerboard slot                      | 12     | Max 13          | Splashboard                   | ✓      | Min 51 x 610    |

Measurer  
STEFANO LONGHI

Stamp nr. **04** SCIRA MEASURER ITALY