

# SNIFE CLASS RACING ASSOCIATION

## MEASUREMENT DATA SHEET FOR CERTIFIED BOATS

Revised February 2019

*This page to be used for all boats. For measurements in Italic refer to the Class Rules*


HULL NUMBER	32064	BUILDER	Zeltic
MODEL	Zeltic	YEAR OF MANUFACTURE	
OWNER	Marinha de Portugal – Direção de	COUNTRY	Portugal

BARE HULL	<input type="checkbox"/>	COMPLETE	<input checked="" type="checkbox"/>	INCOMPLETE	<input type="checkbox"/>
HULL MATERIAL: WOOD	<input type="checkbox"/>	FIBERGLASS	<input checked="" type="checkbox"/>	make note of	
DECK MATERIAL: WOOD	<input type="checkbox"/>	FIBERGLASS	<input checked="" type="checkbox"/>	incomplete items	
FROM CERTIFIED MOULD	<input checked="" type="checkbox"/>	filling the cells with <b>NO</b>			

HULL WEIGHT (min 125kg)	135,6	MAST LENGTH (Rules C.9.2, F.3.4)	6496
TOTAL WEIGHT (min 172.8kg)	173	Limiting marks & pin	Ok
CORRECTOR WEIGHTS (max 15kg)	5	Corrector weights (max 100gr)	0
MOI	272	BOOM LENGTH (max 2642mm)	2585
Spring set #	130	Limiting marks & pin	Ok
JIB FITTING	Ok / 281	POLE LENGTH (max 2642mm)	2642
(279-330mm hor. From Hull Datum Point)		RUDDER DIMENSIONS	Ok
max 45mm vert. above sheerline)		Weight (min. 2.72kg)	3,3
SHROUDS (1778-1981mm from HDP)	1780	Corrector weights (Rule C.8.5)	0
MAST HOLE (min 1494-mm from HDP)	1494	Parallel to transom (tolerance 2mm)	Ok
UPPER GUDGEON (Rule D.2.3)	410	DAGGERBOARD DIMENSIONS	Ok
LOWER GUDGEON (Rule D.2.3)	154	Band	Ok
GUDGEONS DIAMETER (Rule D.2.3)	8,1	Safety line (max 610mm long)	Ok
		Restraining system (hooks or tablet)	Ok

Insert the actual measurement in the cells marked as

Mark corrector weights position and amount below. Data to be copied on the Official Snife Label



DATE MEASURED 2. nov. 2025

MEASURER'S STAMP

**03 SCIRA MEASURER SPAIN**

MEASURER'S NAME Fernando Tajuelo Gifernando

NOTES:

Mast hole distance complies with a 4 mm thick plate

## SCIRA Measurement Data Sheet

To be used with the 80/20 true baseline measurement frame

For boats built from January 1st, 2018. For older boats use the MDS in force in the year of manufacturing

**Owner** Marinha de Portugal – Direção de Navios **Date** 2<sup>nd</sup> Nov 2025**Hull** 32064 **Builder** Zeltic **Material** FiberglassNEW MOULD: FIRST  OR  OF 5      CERTIFICATION RENEW  Y/N

DO NOT COMPLETE IF FROM A CERTIFIED MOULD

<b>Chine</b>						
	Height				Width	
Station	Starboard	Port	Total	Allowable range	Actual	Allowable range
1	437	423	860	838-864	540	527-540
2	383	362	745	724-749	998	991-1003
3	352	331	683	673-699	1239	1232-1245
4	355	336	691	680-705	1276	1270-1283
5	393	379	772	762-787	1146	1137-1149
Transom	457	447	904	902-927	963	952-965

<b>Sheer</b>						
	Height				Width	
Station	Starboard	Port	Total	Allowable range	Actual	Allowable range
1	785	757	1542	1499-1549	921	895-921
2	725	710	1435	1391-1441	1368	1346-1372
3	685	673	1358	1333-1384	1528	1511-1537
4	672	667	1339	1321-1372	1494	1473-1499
5	676	680	1356	1321-1372	1289	1270-1295
Transom	691	704	1395	1384-1435	1025	1022-1048


Keel				
Station	Height		Width	
	Actual	Allowable range	Actual	Allowable range
400 mm	224	223-235		
1		162	93	Min 51
2	99	89-101	103	99-105
3	62	51-63	104	99-105
4	70	58-70	104	99-105
5		114	103	99-105
Transom	166	166-178	105	99-105

Stem offset		
up from baseline	back from HDP	Actual
267	267-279	267
305	194-206	194
337	153-165	153
381	108-120	109
457	54-66	57
527	26-38	28
311 to 387	intersection of chine extension	

Ok

Miscellaneous					
Measurement	Actual	Allowable range	Measurement	Actual	Allowable range
LOA	4729	4711-4737	Chine radius at st. 1	Ok	Max 19
Horizontal transom offset	203	203-229	Chine radius st. 2 to transom	Ok	Max 3
Hull Datum Point Height	706	683-708	Deck height	121	Max 127
Bow radius	Ok	Max 25	Cockpit width	850	Max 1016

Topside Measurements					
Measurement	Actual	Allowable range	Measurement	Actual	Allowable range
Aft end of dagg. slot from Hull datum point	2644	2438-2464	Heel point to sheer (vertical)	397	390-400
Top of case parallel to baseline	0	Tolerance 2	Mast hole in the deck	140 x 61	Max 256x76
Aft edge of slot perpendicular to baseline	Ok	Tolerance 2	Length of foredeck	1844	Min 1845
Forward edge of slot perpendicular to baseline	Ok	Tolerance 6	Length of aft deck	1210	Min 457
Keel to top of daggerboards case	310	310-313	Sheer strikes	32	Max 32
Length of Daggerboard slot	542	Max 546	Gunwale radius	Ok	Max 12
Width of Daggerboard slot	12	Max 13	Splashboard	Ok	Min 51 x 610

Measurer  


Stamp nr. **03** SCIRA  
 MEASURER  
 SPAIN