

# SNIPE CLASS RACING ASSOCIATION

## MEASUREMENT DATA SHEET FOR CERTIFIED BOATS

Revised February 2019

This page to be used for all boats. *For measurements in Italic refer to the Class Rules*


|             |                       |                     |                      |
|-------------|-----------------------|---------------------|----------------------|
| HULL NUMBER | <u>32088</u>          | BUILDER             | <u>NAS GROUP SRL</u> |
| MODEL       | <u>BB-R1 LTD. ED.</u> | YEAR OF MANUFACTURE | <u>2026</u>          |
| OWNER       | <u>AUGIE DIAZ</u>     | COUNTRY             | <u>USA</u>           |

|                      |                                     |            |                                     |                                  |                                     |
|----------------------|-------------------------------------|------------|-------------------------------------|----------------------------------|-------------------------------------|
| BARE HULL            | <input type="checkbox"/>            | COMPLETE   | <input type="checkbox"/>            | INCOMPLETE                       | <input checked="" type="checkbox"/> |
| HULL MATERIAL: WOOD  | <input type="checkbox"/>            | FIBERGLASS | <input checked="" type="checkbox"/> | make note of                     |                                     |
| DECK MATERIAL: WOOD  | <input type="checkbox"/>            | FIBERGLASS | <input checked="" type="checkbox"/> | incomplete items                 |                                     |
|                      |                                     |            |                                     | filling the cells with <b>NO</b> |                                     |
| FROM CERTIFIED MOULD | <input checked="" type="checkbox"/> |            |                                     |                                  |                                     |

|                                              |               |                                      |                                     |                |
|----------------------------------------------|---------------|--------------------------------------|-------------------------------------|----------------|
| HULL WEIGHT (min 125kg)                      | <u>127,70</u> | MAST LENGTH (Rules C.9.2, F.3.4)     | <u>6499</u>                         | <i>SW Gold</i> |
| TOTAL WEIGHT (min 172.8kg)                   |               | Limiting marks & pin                 | <input checked="" type="checkbox"/> |                |
| CORRECTOR WEIGHTS (max 15kg)                 |               | Corrector weights (max 100gr)        | <u>20</u>                           |                |
| MOI                                          |               | BOOM LENGTH (max 2642mm)             | <u>2628</u>                         |                |
| Spring set #                                 | <u>126</u>    | Limiting marks & pin                 | <input checked="" type="checkbox"/> |                |
| JIB FITTING                                  | <u>282</u>    | POLE LENGTH (max 2642mm)             | <u>2640</u>                         |                |
| (279-300mm hor. From Hull Datum Point)       |               | RUDDER DIMENSIONS                    |                                     |                |
| max 45mm vert. above sheerline)              |               | Weight (min. 2.72kg)                 |                                     |                |
| SHROUDS (1778-1981mm from HDP)               | <u>1786</u>   | Corrector weights (Rule C.8.5)       |                                     |                |
| <i>+9mm</i> MAST HOLE (min 1494-mm from HDP) | <u>1494</u>   | Parallel to transom (tolerance 2mm)  | <input checked="" type="checkbox"/> |                |
| UPPER GUDGEON (Rule D.2.3)                   | <u>410</u>    | DAGGERBOARD DIMENSIONS               | <input checked="" type="checkbox"/> |                |
| LOWER GUDGEON (Rule D.2.3)                   | <u>155</u>    | Band                                 | <input checked="" type="checkbox"/> |                |
| GUDGEONS DIAMETER (Rule D.2.3)               | <u>8mm</u>    | Safety line (max 610mm long)         |                                     |                |
|                                              |               | Restraining system (hooks or tablet) |                                     |                |

Insert the **actual** measurement in the cells marked as ☐

Mark corrector weights position and amount below. Data to be copied on the Official Snipe Label

DATE MEASURED 07/07/26 MEASURER'S STAMPMEASURER'S NAME MICHAEL ENRICO

NOTES:

**10** SCIRA  
 MEASURER  
 ITALY

Snipe Class International Racing Association

HULL NR. 32088

SCIRA MDS Rev. "J-d" - July 2019

| Keel    |        |                 |        |                 |
|---------|--------|-----------------|--------|-----------------|
| Station | Height |                 | Width  |                 |
|         | Actual | Allowable Range | Actual | Allowable Range |
| 400mm   |        | 223-235         |        |                 |
| 1       |        | 162             |        | Min 51          |
| 2       |        | 89-101          |        | 99-105          |
| 3       |        | 51-63           |        | 99-105          |
| 4       |        | 58-70           |        | 99-105          |
| 5       |        | 114             |        | 99-105          |
| Transom |        | 166-178         |        | 99-105          |

| Stem Offset      |                                 |        |
|------------------|---------------------------------|--------|
| up from baseline | back from HDP                   | Actual |
| 267              | 267-279                         |        |
| 305              | 194-206                         |        |
| 337              | 153-165                         |        |
| 381              | 108-120                         |        |
| 457              | 54-66                           |        |
| 527              | 26-38                           |        |
| 311 to 387       | intersection of chine extension |        |

| Miscellaneous             |        |                 |                               |        |                 |
|---------------------------|--------|-----------------|-------------------------------|--------|-----------------|
| Measurement               | Actual | Allowable Range | Measurement                   | Actual | Allowable Range |
| LOA                       |        | 4711-4737       | Chine radius at st. 1         |        | Max 19          |
| Horizontal transom offset |        | 203-229         | Chine radius st. 2 to transom |        | Max 3           |
| Hull Datum Point height   |        | 683-708         | Deck height                   |        | Max 127         |
| Bow radius                |        | Max 25          | Cockpit width                 |        | Max 1016        |

| Topside Measurements                           |        |                 |                                |          |                 |
|------------------------------------------------|--------|-----------------|--------------------------------|----------|-----------------|
| Measurement                                    | Actual | Allowable Range | Measurement                    | Actual   | Allowable Range |
| Aft end of dagg. slot from Hull datum point    |        | 2438-2464       | Heel point to sheer (vertical) | 388      | 390-400         |
| Top of case parallel to baseline               |        | tolerance 2     | Mast hole in the deck          | 151 x 60 | Max 256 x 76    |
| Aft edge of slot perpendicular to baseline     |        | tolerance 2     | Length of foredeck             | ✓        | Min 1842        |
| Forward edge of slot perpendicular to baseline |        | tolerance 6     | Length of aft deck             | ✓        | Min 457         |
| Keel to top of daggerboard case                | 310    | 310-313         | Sheer strikes                  | ✓        | Max 32          |
| Length of daggerboard slot                     | 534    | Max 546         | Gunwale radius                 |          | Max 12          |
| Width of daggerboard slot                      | 12     | Max 13          | Splashboard                    | ✓        | Min 51 x 610    |

Measurer

MICHEL BURLIO

Stamp nr.

10 SCIRA MEASURER ITALY

Snipe Class International Racing Association

## SCIRA Measuremen Check Sheet

To be used with the 80/20 true baseline measurement frame

Owner AUGIE DIAB Date 07/07/26Hull 32088 Builder MAS GROUP SRL Material FIBERGLASSNEW MOULD: FIRST ☐ OR ☐ OF 5 CERTIFICATION RENEW ☐ Y/N

DO NOT COMPLETE IF FROM A CERTIFIED MOULD

| Chine   |           |      |       |                 |        |                 |
|---------|-----------|------|-------|-----------------|--------|-----------------|
| Station | Height    |      |       |                 | Width  |                 |
|         | Starboard | Port | Total | Allowable Range | Actual | Allowable Range |
| 1       |           |      |       | 838-864         |        | 527-540         |
| 2       |           |      |       | 724-749         |        | 991-1003        |
| 3       |           |      |       | 673-699         |        | 1232-1245       |
| 4       |           |      |       | 680-705         |        | 1270-1283       |
| 5       |           |      |       | 762-787         |        | 1137-1149       |
| Transom |           |      |       | 902-927         |        | 952-965         |

| Sheer   |           |      |       |                 |        |                 |
|---------|-----------|------|-------|-----------------|--------|-----------------|
| Station | Height    |      |       |                 | Width  |                 |
|         | Starboard | Port | Total | Allowable Range | Actual | Allowable Range |
| 1       |           |      |       | 1499-1549       |        | 895-921         |
| 2       |           |      |       | 1391-1441       |        | 1346-1372       |
| 3       |           |      |       | 1333-1384       |        | 1511-1537       |
| 4       |           |      |       | 1321-1372       |        | 1473-1499       |
| 5       |           |      |       | 1321-1372       |        | 1270-1295       |
| Transom |           |      |       | 1384-1435       |        | 1022-1048       |

Snipe Class International Racing Association

10 SCIRA  
MICHAEL MAYER  
ITALY